

Package hvfloat

Controlling captions, fullpage and doublepage floats

ver 2.37


Herbert Voß*

February 28, 2022

The package hvfloat defines a macro to place objects and captions of floats in different positions with different rotating angles.

All objects and captions are framed on the first pages, which is only for some demonstration here and has no additional sense!

To compare the place of the definition of the floating objects in the source and the output a marginnote `\float` is set into the margin. This is done also only for demonstration!



*hvoss@tug.org

Thanks to Karl Berry, Frank Mittelbach, Rolf Niepraschk

Contents

| | | |
|-----------|---|-----------|
| 1 | The package options | 7 |
| 2 | The Macros and optional arguments | 7 |
| 3 | The default use of floating environments | 9 |
| 4 | Caption width | 10 |
| 4.1 | Default – natural width | 10 |
| 4.2 | Relative linewidth | 11 |
| 4.3 | Identical object and caption width | 12 |
| 4.4 | caption width to height of the object | 12 |
| 5 | Caption left or right of the object | 12 |
| 5.1 | Caption right with specific length | 12 |
| 5.2 | Caption left and rotated | 13 |
| 6 | Caption inner or outer | 14 |
| 7 | Vertical Position of the Caption | 16 |
| 8 | Caption format | 17 |
| 9 | Horizontal Position of the Float | 18 |
| 10 | Wide floats | 20 |
| 11 | The star version <code>\hvFloat*</code> | 22 |
| 12 | Full Page Width in Landscape Mode | 22 |
| 13 | The <code>nonFloat</code> Option | 24 |
| 14 | Tabulars as Objects | 26 |
| 15 | Text and objects | 27 |
| 16 | Environment <code>hvFloatEnv</code> | 28 |
| 17 | Full page objects in onecolumn mode | 29 |
| 17.1 | Using the <code>textarea</code> | 29 |
| 17.1.1 | Using the default or <code>capPos=before</code> | 29 |
| 17.1.2 | Using <code>capPos=after</code> | 32 |
| 17.1.3 | Using <code>capPos=evenPage</code> — caption on an even page | 33 |
| 17.1.4 | Using <code>capPos=oddPage</code> — caption on an odd page | 34 |
| 17.1.5 | Using <code>capPos=inner</code> or <code>capPos=outer</code> — caption on the inner or outer side | 34 |
| 17.2 | Using the paper size | 35 |
| 17.3 | Multifloats | 37 |
| 18 | Subfloat page | 39 |

| | |
|---|-----------|
| 19 Full page objects in twocolumn mode | 41 |
| 19.1 Default setting | 41 |
| 19.1.1 Using capPos=after | 42 |
| 19.1.2 Using capPos=evenPage — caption on an even page | 44 |
| 19.1.3 Using capPos=oddPage — caption on an odd page | 45 |
| 19.1.4 Using capPos=inner — caption in the inner column | 46 |
| 19.1.5 Using capPos=outer — caption on the outer column | 47 |
| 19.2 Using full page in twocolumn mode | 48 |
| 19.3 Multifloats | 49 |
| 20 Subfloat page | 50 |
| 21 Doublepage objects – images and/or tabulars | 53 |
| 21.1 doubleFULLPAGE | 53 |
| 21.2 doublePAGE | 75 |
| 21.3 doublePage | 79 |
| 21.4 Tabulars | 88 |
| 22 References to the page | 91 |
| 23 Defining a style | 92 |
| 24 Global float setting | 93 |
| 25 The Package Source | 99 |

List of Tables

| | | |
|---|---|----|
| 1 | The Caption without sense ... | 7 |
| 2 | The optional keywords for the macro \hvFloat | 8 |
| 3 | With the only Option capPos=top to place the caption on top of the table, which is often the default. | 10 |
| 4 | Demonstration of the use0Box Parameter | 27 |
| 5 | Demonstration of the use0Box Parameter | 28 |
| 6 | A caption for a nice table | 28 |
| 7 | A caption for a nice table | 29 |
| 8 | Valid optional arguments for a full page object. | 30 |
| 9 | A doublepage tabular with a caption on the right side of the right part. | 91 |

List of Figures

| | | |
|----|--|----|
| 1 | <div style="border: 1px solid black; padding: 2px;">What a nice Caption :-)</div> | 1 |
| 2 | Without any keywords (only the fbox package option) | 9 |
| 3 | Default caption width setting, which is the natural width with respect to the current linewidth. | 10 |
| 4 | Caption right beside with a <i>natural</i> width, which is given by the width of the object, the separation between object and caption, and the current linewidth. | 11 |
| 5 | Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm. | 11 |
| 6 | Caption right beside with a width setting of 0.9\linewidth which is too big for this example and therefore corrected by the macro to the maximal width. | 12 |
| 7 | Caption below with a width of the given object which may be a problem if it is a very small object. | 12 |
| 8 | Caption beside with a width of the given object height which may be a problem if it is a very small object. | 13 |
| 9 | Caption beside object and vertically centered | 13 |
| 10 | Centered Caption beside Object | 14 |
| 11 | Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object. | 14 |
| 12 | Centered Caption on the inner side | 15 |
| 13 | Centered Caption on the inner side | 15 |
| 14 | Centered Caption beside Object | 15 |
| 15 | Centered Caption beside Object | 16 |
| 16 | Caption at bottom right beside the float | 17 |
| 17 | Caption at top left beside the float | 17 |
| 18 | Caption centered right beside the float | 17 |
| 19 | Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. | 18 |
| 20 | Caption at top right beside the float and object position left | 18 |

| | | |
|----|---|----|
| 21 | Caption at top right beside the float and object position left | 19 |
| 22 | Caption at top left beside the float and object position right | 19 |
| 23 | Caption at top right beside the float and object position left and the option wide. | 20 |
| 24 | Caption at top left beside the object and object position left and the option wide. | 20 |
| 25 | Caption at top and inner beside the float and object position right and the option wide. | 21 |
| 26 | Caption at top inner beside the float and object position right and the option wide. | 21 |
| 27 | Caption at top inner beside the float and object position right and the option wide. | 21 |
| 28 | Output of default1s2c (pages 2–5) | 22 |
| 29 | Object and Caption in landscape mode | 23 |
| 30 | Rotated Caption in Landscape | 25 |
| 31 | Nonfloat Captions | 26 |
| 32 | Output of fullpage1s2c (pages 1–8) | 30 |
| 33 | Output of default1s1c (pages 2–9) | 31 |
| 34 | Output of after1s1c (pages 2–9) | 32 |
| 35 | Output of even1s1c (pages 2–9) | 33 |
| 36 | Output of odd1s1c (pages 2–9) | 34 |
| 37 | Output of paper-default1s1c (pages 2–9) | 35 |
| 38 | Output of paper-after1s1c (pages 2–9) | 36 |
| 39 | Output of multi-default1s1c (pages 4–11) | 38 |
| 40 | Output of multi-after1s1c (pages 4–11) | 38 |
| 41 | Output of sub-default1s1c (pages 4–11) | 40 |
| 42 | Output of sub-after1s1c (pages 4–11) | 40 |
| 43 | Output of default2s2c (pages 2–9) | 41 |
| 44 | Output of left2s2c (pages 2–9) | 42 |
| 45 | Output of after2s2c (pages 2–9) | 43 |
| 46 | Output of right2s2c (pages 2–9) | 43 |
| 47 | Output of even2s2c (pages 2–9) | 44 |
| 48 | Output of odd2s2c (pages 2–9) | 45 |
| 49 | Output of inner2s2c (pages 2–9) | 46 |
| 50 | Output of outer2s2c (pages 2–9) | 47 |
| 51 | Output of paper-default2s2c (pages 2–9) | 48 |
| 52 | Output of paper-inner2s2c (pages 2–9) | 49 |
| 53 | Output of multi-default2s2c (pages 2–9) | 50 |
| 54 | Output of multi-inner2s2c (pages 2–9) | 51 |
| 55 | Output of sub-default2s2c (pages 2–9) | 52 |
| 56 | Output of sub-after2s2c (pages 2–9) | 52 |
| 57 | A doublepage image with a caption on the image. | 55 |
| 58 | A doublepage image with a caption on the image. | 61 |
| 59 | A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE | 65 |
| 60 | A caption for a double-sided image that will be placed after the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE . . . | 70 |
| 61 | A caption for a double-sided image that will be placed before the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE . . . | 71 |

List of Figures

| | | |
|----|---|----|
| 62 | A doublepage image with a caption below the right part. | 77 |
| 63 | A doublepage image with a caption on the right side of the right part. | 81 |
| 64 | A doublepage image with a caption on the right side of the right part. | 85 |
| 65 | A doublepage image with a caption on the right side of the right part. | 87 |
| 66 | Caption at bottom right beside the float with a caption width of 0.5\columnwidth | 92 |
| 67 | A float which needs the complete paper width and height. | 94 |

1 The package options

| | |
|------------|--|
| fbox | The objects and captions are put into a <code>\fbox</code> command, like in this documentation. This doesn't make real sense and is only for some demonstration useful or for locating problems if images seems to have too much whitespace. |
| hyperref | Load package <code>hyperref</code> . |
| nostfloats | do not load package <code>stfloats</code> . |

The length `\belowcaptionskip` is set by \LaTeX to 0pt and changed in `hvfloat` to the same value than `\abovecaptionskip`. This length can be changed to another value in the usual way with `\setlength` or `\addtolength`.

The following packages are loaded by `hvfloat` and the optional argument `hypcap` is passed to the packages `caption` and `subcaption`:

`caption`, `subcaption`, `atbegshi`, `stfloats`, `expl3`, `multido`, `graphicx`, `xkeyval`, `ifoddpage`, and `afterpage`.

2 The Macros and optional arguments

The syntax for the macros and `\hvFloatSetDefaults`, `\hvFloatSet`, and `\hvFloat` is

```
\hvFloatSet{key=value list}
\hvFloatSetDefaults
\hvFloat* [Options] + {float type}{floating object} [short caption] {long caption}{label}
```

The star version is explained in section 11 on page 22 and 19.2 on page 48 and the optional `+` is explained in section 17.3 on page 37.

`\hvFloatSet` allows the global setting of keywords and `\hvFloatSetDefaults` sets all keywords to its default value as shown in Table 2 on the next page.

If `\hvFloat` has an empty second parameter `<float type>`, then `\hvFloat` switches by default to a nonfloat (see table 2) object, which is not important for the user. All other parameters may also be empty and the short caption as second optional parameter missing. This one is as usual the caption for the `\listoffigures`.

There are some more macros defined, more or less for internally use in `hvfloat`, but they can be used for own purposes.

```
\figcaption[short caption text]{caption text}
\tabcaption[short caption text]{caption text}
\tabcaptionbelow[short caption text]{caption text}
```

They are used for the `nonFloat` keyword, where these macros write captions in the same way but outside of a float environment. The default caption cannot be used here. It is no problem to use the `\tabcaption` command to place a caption anywhere, like here in an inlined mode:

Table 1: A Caption without any sense and any object

A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table 2 is no problem.

```
[...] It is no problem to use the \verb|\tabcaption|
command to place a caption anywhere,
like here in an inlined mode:
\tabcaption[The Caption without sense ...]%
```

2 The Macros and optional arguments

{A Caption without any sense and any object}\label{dummy} A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table-\ref{dummy} is no problem.

With the macro \hvDefFloatStyle one can define a style which can be used instead of the individual setting:

$$\backslash hvDefFloatStyle\{name\}\{setting\}$$

Internally the style is saved in a macro named \hv@<name>.

There are the following keywords:

Table 2: The optional keywords for the macro \hvFloat

| <i>Keyword</i> | <i>Default</i> | <i>Description</i> |
|----------------|----------------|--|
| floatPos | tbp | This is the same default placement setting as in standard \LaTeX ; maybe not always the best setting. |
| rotAngle | 0 | The value for the angle if both the object and the caption should be rotated together. |
| capWidth | n | The width of the caption. Can be n for a natural width given by the current linewidth, w for the width of the object, h for the height of the object, or a scale factor for \columnwidth. |
| capAngle | 0 | The integer value for the angle if the caption should be rotated. Positive is counter-clockwise. |
| capPos | bottom | The position of the caption relative to the object. Possible values: before: <i>always</i> before (left) from the object. top: <i>always</i> on top of the object. left: <i>always</i> before (left) from the object, but on the same page in twocolumn mode. after: <i>always</i> after (right) from the object. bottom: <i>always</i> on the bottom of the object. right: <i>always</i> after (right) from the object, but on the same page in twocolumn mode. inner: in twoside mode always typeset at the inner margin. outer: in twoside mode always typeset at the outer margin. evenPage: in twoside mode with fullpage objects always on an even page. oddPage: in twoside mode with fullpage objects always on an odd page. |
| capVPos | center | Only used when capPos=left right; in these cases, the caption can be vertically placed at the bottom, center or top. |
| objectPos | center | Horizontal placement of the object relative to the document. Possible values are (l)eft, (c)enter, (r)ight. |
| objectAngle | 0 | Integer value for the angle if the object should be rotated. Positive is counter-clockwise. |
| floatCapSep | 5pt | Additional space between the object and a left- or right-placed caption. |
| useOBox | false | Instead of passing the object as a parameter to \hvFloat, with useOBox=true the contents of the predefined box \hvOBox is used. |
| onlyText | false | The caption is printed as normal text with no entry in any list of ... |
| nonFloat | false | The object isn't put in a floating environment, but printed as standard text with an additional caption. The float counter is increased as usual and can be referenced. |
| wide | false | The float can use \textwidth + \marginparwidth as horizontal width. |

| <i>Keyword</i> | <i>Default</i> | <i>Description</i> |
|----------------|----------------|---|
| objectFrame | false | Put a frame with no separation around the float object. |
| style | none | Use a defined style. |
| capFormat | none | Define formatting options for \caption; see documentation of package caption. |
| subcapFormat | none | Define formatting options for \subcaption. |
| fullpage | false | Use a complete column in twocolumn mode. |
| FullPage | false | Use the full text area for the object. |
| FULLPAGE | false | Use the full paper width/height for the object. |
| doublePage | false | Use the text area on a doublepage with additional text. |
| doublePAGE | false | Use the text area on a doublepage without additional text. |
| doubleFULLPAGE | false | Use the paperwidth on a doublepage without additional text. |
| vFill | false | Put a \vfill between every two objects in a multi- or subfloat. |
| sameHeight | false | use the same text height on both pages for a doublePage object. |

3 The default use of floating environments

In this case there is no essential difference to the well known figure or table environment, f.ex.:

```
\begin{figure}
... object ...
\caption{...}% caption below the object
\end{figure}
```




Fig. 2

Figure 2: Without any keywords (only the fbox package option)

Code for figure 2:

```
1 \hvFloat{figure}{\includegraphics{images/rose}}{Without any keywords (only the \texttt{fbox}
package option)}{fig:0}
```

Code for table 3:

```
1 \hvFloat[capPos=top]{table}{%
2 \begin{tabularx}{\textwidth}{>{\ttfamily}l|l|X}
3 \rmfamily Name & Type & Description\\ \hline
4 \CMD{hvFloat} & command & places object and caption in different ways\\
5 hvFloatEnv & environment & places object and caption exactly Here\\
6 \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\
9 \CMD{hvDefFloatStyle} & command & define a user style
10 \end{tabularx}}%
```

Tab. 3

Table 3: With the only Option `capPos=top` to place the caption on top of the table, which is often the default.

| Name | Type | Description |
|----------------------------------|-------------|---|
| <code>\hvFloat</code> | command | places object and caption in different ways |
| <code>hvFloatEnv</code> | environment | places object and caption exactly Here |
| <code>\figcaption</code> | command | writes a figure caption in a non floating environment |
| <code>\tabcaption</code> | command | writes a table caption in a non floating environment |
| <code>\hvFloatSetDefaults</code> | command | sets all options to the defaults |
| <code>\hvDefFloatStyle</code> | command | define a user style |

```

11 {With the only Option \texttt{capPos=top} to place the caption on top of the table, which is
    often the default.}%
12 {tab:0}

```

See section 14 for some more informations about tabulars as objects.

4 Caption width

4.1 Default – natural width

The default setting is the natural width of a paragraph with respect to the current linewidth or columnwidth for a caption below or above an object. It behaves in the same way as a caption set by one of the default floating environments like figure or table:

```

1 \hvFloat[floatPos=!htb]{figure}{\includegraphics{images/rose}}%
2 {Default caption width setting, which is the natural width with respect to the current
   linewidth.}{fig:width0}

```

Fig. 3




Figure 3: Default caption width setting, which is the natural width with respect to the current linewidth.

!! For the following examples the package option `fbox` is disabled. All frames are now set with the macro `\frame` or the optional keyword `objectFrame`.

For a caption beside an object, the *natural* caption width (without the optional argument `wide`) is given by the current linewidth minus the width of the object and the space between object and caption, which is set by `floatCapSep` (see Table 2 on page 8).

```

1 \hvFloat[floatPos=!htb,capPos=after,objectFrame]{figure}{\includegraphics[scale=1.5]{images/
   rose}}%
2 {Caption right beside with a \emph{natural} width, which is given by the width of the object,
3 the separation between object and caption, and the current linewidth.}{fig:width1}

```

Fig. 4




Figure 4: Caption right beside with a *natural* width, which is given by the width of the object, the separation between object and caption, and the current linewidth.

4.2 Relative linewidth

With `capWidth=<number>` the caption width is set to `<number>\columnwidth`. For captions at the bottom or on top of objects the setting is not checked if `<number>` is greater than 1.

```
1 \hvFloat[floatPos=!htb,capWidth=0.9]{figure}{\includegraphics{images/rose}}%
2 {Caption below with a width of 0.9 of the current line width (column width), which is
3 in this special case \the\linewidth. Divide it by 28.82 to get cm.}{fig:width2}
```

Fig. 5



Figure 5: Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.

If such a value like `0.9\linewidth` is used for a caption beside an object, then the macro does a test if the space beside the object is less equal the defined caption width. If not then the width is set to the possible value between object and margin:

```
1 \hvFloat[floatPos=!htb,
2 capPos=after,
3 capWidth=0.9]{figure}{\includegraphics[scale=1.5]{images/rose}}%
4 {Caption right beside with a width setting of \texttt{0.9\textbackslash linewidth}
5 which is too big for this example and therefore corrected
6 by the macro to the maximal width.}{fig:width3}
```

Fig. 6



Figure 6: Caption right beside with a width setting of 0.9\linewidth which is too big for this example and therefore corrected by the macro to the maximal width.

4.3 Identical object and caption width

With `capWidth=w` the caption width is like the object width which makes only real sense if you have a lot of identical images with respect to its widths.

```
1 \hvFloat[floatPos=!htb,capWidth=w]{figure}{\includegraphics[width=0.5\linewidth]{images/CTAN}}%
2 {Caption below with a width of the given object which may be a problem
3 if it is a very small object.}{fig:width4}
```




Figure 7: Caption below with a width of the given object which may be a problem if it is a very small object.

4.4 caption width to height of the object

With `capWidth=h` the caption width is like the object height which makes only real sense if you want to put a rotated caption beside the object.

```
1 \hvFloat[floatPos=!htb,capPos=after,capWidth=h,capAngle=90,objectFrame]{figure}{\
  includegraphics{images/rose}}%
2 {Caption beside with a width of the given object height which may be a problem
3 if it is a very small object.}{fig:width5}
```

Fig. 8

5 Caption left or right of the object

By default the caption is set on the left side of the object. If the caption and the object are set side by side, then the keyvalue before is identical to the setting left.

5.1 Caption right with specific length

Code for figure 9:



Figure 8: Caption beside with a width of the given object height which may be a problem if it is a very small object.

```

1 \hvFloat%
2   [floatPos=htb,
3     capPos=right,
4     objectFrame,
5     objectPos=c]{figure}{\includegraphics[scale=0.9]{images/rose}}%
6   [Caption beside object and vertically centered]%
7   {Caption vertically centered right beside the float with a natural caption width
8     (the default). \blindtext}%
9   {fig:1}

```



Figure 9: Caption vertically centered right beside the float with a natural caption width (the default). Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Fig. 9 float
capPos=right

5.2 Caption left and rotated

Code for figure 10:

```

1 \hvFloat%
2   [floatPos=htb,
3     capPos=left,
4     capWidth=h,% of \columnwidth
5     capAngle=90,
6     objectFrame
7   ]{figure}{\includegraphics{images/rose}}%
8   [Centered Caption beside Object]%
9   {Caption vertically centered left beside the float with a caption width
10  of \texttt{capWidth=h}, which is the height of the object.}{fig:2}

```

It is no problem to rotate the object, too. But with a different angle value than for the caption. Do not ask for the sense, it is only a demonstration of what is possible ... The object (image) is rotated by -30 degrees with the macro `\rotatebox`. Without any definition the caption will be placed vertically centered to the object. Important for the height of the object is the surrounding orthogonal rectangle.

Fig. 10

Figure 10: Caption vertically centered left beside the float with a caption width of `capWidth=h`, which is the height of the object.



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 11:

```

1 \hvFloat[%
2   capWidth=h,
3   capPos=after,
4   capAngle=180,
5   objectAngle=90,
6   capVPos=center,
7   objectPos=center]{figure}{\frame{\includegraphics{images/rose}}}%
8 [Centered Caption beside Object]{%
9   {Caption vertically centered right beside the float with a caption width of the height
10    of the image and a rotation of the caption and the object.}}{fig:3}

```

Fig. 11



Figure 11: Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.

6 Caption inner or outer

Setting the caption position to *inner* or *outer* makes only sense for a document in twoside mode. For a oneside document *inner* is the same as *left* and *outer* is the same as *right*. We show only the code for the first image with the setting `capPos=inner`, whereas the second one chooses only `capPos=outer`.

Code for figure 12:

```

1 \hvFloat[capPos=inner]{figure}{\includegraphics{images/rose}}%
2 [Centered Caption on the inner side]{%
3   Caption set with the parameter setting \texttt{capPos=inner}, which will be
4   a caption on the right side for an even page and on the left side for

```

Fig. 12

Figure 12: Caption set with the parameter setting `capPos=inner`, which will be a caption on the right side for an even page and on the left side for an odd page.



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Now the same Image with `capPos=outer` . The current `pagenumber` is 15, an odd page. We now set a `pagebreak` at the end of the second image to see if it works with *inner/outer*.

```
1 \hvFloat[capPos=outer]{figure}{\includegraphics{images/rose}}%
2   [Centered Caption on the inner side]{%
3     Caption set with the parameter setting \texttt{capPos=outer}, which will be
4     a caption on the right side for an even page and on the left side for
5     an odd page.}{fig:20b}
```

Fig. 13



Figure 13: Caption set with the parameter setting `capPos=outer`, which will be a caption on the right side for an even page and on the left side for an odd page.

Fig. 14



Figure 14: Caption at the bottom right beside the float with a caption width of `0.5\columnwidth` and `capPos=outer`.

We have an even page, the reason why figure 13 has the caption for *inner* on the left side and figure 14 for *outer* on the right side.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 15:

```
1 \hvFloat[%
2   capWidth=0.5,% of \columnwidth
3   capPos=inner,% ==> INNER
4   capAngle=0,
5   capVPos=bottom,
6   objectPos=center]{figure}{\includegraphics{images/rose}}%
7   [Centered Caption beside Object]{%
8   Caption vertically centered right beside the float with a caption
9   width of \texttt{0.5\textbackslash columnwidth} and \texttt{capPos=outer} }{fig:22}
```

Fig. 15



Figure 15: Caption vertically centered right beside the float with a caption width of 0.5\columnwidth and capPos=outer

We have an even page, the reason why figure 12 has the caption for *inner* on the right side and figure 14 for *outer* on the left side.

7 Vertical Position of the Caption

The caption can be placed beside the object in the positions

(c)enter|(b)ottom|(t)op

The code for figure 16:

```
1 \hvFloat[%
2   floatPos=htb,%
3   capWidth=0.25,%
4   capPos=right,%
5   capVPos=bottom,%
6 ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at bottom right beside the float}{fig:4}
```

Fig. 16

The code for figure 17:

```
1 \hvFloat[%
2   floatPos=htb,
3   capWidth=0.25,
```




Figure 16: Caption at bottom right beside the float

```

4     capPos=right,
5     capVPos=top,
6 ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at top left beside the float}{fig:5}

```

Figure 17: Caption at top left beside the float




Fig. 17

The code for figure 18:

```

1 \hvFloat[%
2   capWidth=0.25,%
3   capPos=right,%
4   capVPos=center,% the default
5 ]{figure}{\frame{\includegraphics{images/rose}}
6   \frame{\includegraphics[origin=c,angle=180]{images/rose}}}%
7 {Caption centered right beside the float}{fig:6}

```



Figure 18: Caption centered right beside the float

Fig. 18

8 Caption format

The `\caption` and `\subcaption` macros are fully under the control of the package `caption`. The formatting can be set with the macros `\captionsetup`, `\subcaptionsetup`, or via the optional

argument setting of `\hvFloat` with the keywords `capFormat` and `subcapFormat`. The argument itself will then be used internally by `\captionsetup` and/or `\subcaptionsetup` in a minipage, the reason why it will be local to the current image..

```
1 \hvFloat[%
2   capPos=right,
3   capFormat={\labelsep=newline,justification=RaggedRight,font={small,it},labelfont=bf}
4 ]{\figure}{\frame{\includegraphics{images/rose}}}{\blindtext}{fig:66}
```

Fig. 19

**Figure 19**

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

9 Horizontal Position of the Float

The caption is always near the object, only divided by the length `\floatCapSep` which can be set by the keyword of the same name `floatCapSep`. It accepts only a value with any allowed unit. The keyword `objectPos` refers always to the complete floating object: caption *and* object. The meaning of `objectPos=left` is: Put the object as far as possible to the left margin. If `capPos=left` is also used, then the caption is at the left margin followed by the object (see Figure 21 on the next page).

The code for figure 20:

```
1 \hvFloat[%
2   capWidth=0.25,
3   capPos=right,
4   capVPos=top,
5   objectPos=left,
6   objectFrame,
7 ]{\figure}{\includegraphics{images/rose}}{%
8   Caption at top right beside the float and object position left}{fig:7}
```

Fig. 20



Figure 20: Caption at top right beside the float and object position left

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The same with capPos=left :

Figure 21: Caption at top right beside the float and object position left



Fig. 21

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 22:

```
1 \hvFloat[%
2   capWidth=0.25,
3   capPos=before,
4   capVPos=top,
5   objectPos=right,
6   objectFrame,
7 ]{figure}{\includegraphics{images/rose}}{%
8   Caption at top leftt beside the float and object position right}{fig:8}
```

Figure 22: Caption at top left beside the float and object position right



Fig. 22

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

10 Wide floats

With the optional argument `wide` the width of the defined `\marginparwidth` is added to the allowed horizontal width of the float.

The code for figure 23:

```
1 \hvFloat[wide,
2   capPos=right,
3   capVPos=top,
4   objectPos=left,
5 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
6   Caption at top right beside the float and object position left and
7   the option \texttt{wide}.}{fig:70}
```

Fig. 23





Figure 23: Caption at top right beside the float and object position left and the option `wide`.

The code for figure 24:

```
1 \hvFloat[wide,
2   capPos=left,
3   capVPos=top,
4   objectPos=right,
5 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
6   {Caption at top left beside the object and object position left and
7   the option \texttt{wide}.}{fig:80}
```

Fig. 24

Figure 24: Caption at top left beside the object and object position left and the option `wide`.




For a twosided document it will place the object always in the margin.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[wide,
2   capPos=inner,
3   capVPos=top,
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
5   Caption at top and inner beside the float and object position right and
6   the option \texttt{wide}.}{fig:81}
```

Figure 25: Caption at top and inner beside the float and object position right and the option wide.




Now we set the same image with the same setting on the next page. The caption will change its side due to the setting `capPos=outer`.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[wide,
2   capPos=inner,
3   capVPos=top,
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
5 Caption at top inner beside the float and object position right and
6 the option \texttt{wide}.}{fig:811}
```

Figure 26: Caption at top inner beside the float and object position right and the option wide.



The caption can be typeset completely into the margin with:

```
1 \captionsetup{justification=RaggedRight}
2 \hvFloat[wide,
3   capPos=outer,
4   capVPos=top,
5   floatCapSep=\marginparsep,
6 ]{figure}{\includegraphics[width=\linewidth]{images/CTAN}}{%
7 Caption at top inner beside the float and object position right and
8 the option \texttt{wide}.}{fig:812}
```




Fig. 27
Figure 27: Caption at top inner beside the float and object position right and the option wide.

11 The star version \hvFloat*

In the twocolumn mode the floating environment can be set over both columns with the star version \hvFloat*. The floating environment will not be on the bottom of the page. The code for the following example (Figure 28) is:

```
1 \hvFloat*[capPos=right]{figure}%
2 {\includegraphics{images/frose}}%
3 [A float with the default caption setting]%
4 {A default caption of a ``' object with the default setting, which
5  is a ``left'' caption which means that it always appears before the object.
6  This can be an even or odd page. And some more text which has no
7  real meaning because it fills only the space for a long caption.}%
8 {fig:0}
```

The example shows on page 3 the star version and on page 4 the same without using the star.




Figure 28: Output of default1s2c (pages 2–5)

12 Full Page Width in Landscape Mode

If you do not want to load the package lscap (or pdfscape) you can use the floatPos=p option to put the image on an own page and rotated by 90 degrees (figure 29).

Code for figure 29:

```
1 \hvFloat[%
2   floatPos=p,
3   capPos=bottom,
4   rotAngle=90,
5   objectPos=center,
6 ]{figure}{\includegraphics[width=0.9\textheight]{images/CTAN}}%
7 [Object and Caption in landscape mode]{%
8   Caption and object in landscape mode. \blindtext}{fig:9}
```

The float can also be put to the left or to the right (above/below in landscape) with the objectPos=l parameter

Fig. 29 Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of




Figure 29: Caption and object in landscape mode. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

13 The nonFloat Option

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 30:

```
1 \hvFloat[%
2   floatPos=p,
3   capWidth=h,
4   capPos=right,
5   objectAngle=90,
6   capAngle=-90,
7   objectPos=left,
8 ]{figure}{\includegraphics[width=\textheight]{images/CTAN}}%
9   [Rotated Caption in Landscape]{%
10    Caption right beside the float and object position left. The caption rotated by $-90$
11    degrees.\blindtext}{fig:10}
```

Fig. 30 Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

13 The nonFloat Option


Sometimes it is better to put a “float” in a specific position of the page. This is possible with the nonfloat package and the keyword nonFloat.

```
1 Some nonsense text before the following \emph{non floating} object.
2
3 \hvFloat[%
4   nonFloat,
5   capWidth=0.25,
6   capPos=right,
7   capVPos=bottom,
8   objectPos=center,
9   objectFrame,
10 ]{figure}{\includegraphics[scale=1.5]{images/rose}}%
11   [Nonfloat Captions]{%
12    Caption of a ``nonfloat'' Object, using the \texttt{nonfloat} Package}{fig:11}
13
14 Some nonsense text after the preceding \emph{non floating} object.
```

Some nonsense text before the following *non floating* object.

Fig. 31

Figure 30: Caption right beside the float and object position left. The caption rotated by -90 degrees. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.






Figure 31: Caption of a “nonfloat” Object, using the nonfloat Package

Some nonsense text after the preceding *non floating* object.

The image 31 is exactly placed where the command `\hvFloat` appears. There are only commands for figure and table environments:

```
\newcommand{\figcaption}{\def\@capttype{figure}\caption}
\newcommand{\tabcaption}{\def\@capttype{table}\caption}
```

But it is no problem, to define more xxxcaption commands to support other with the float package defined new floats.

14 Tabulars as Objects

The object has to be passed as an parameter to the `\hvFloat` macro. This is no problem with images but maybe with tables, so it is easier to use the box `\hv0Box` to save the table in this box and pass it then to `\hvFloat` with the `use0Box` option. For example see table 4 and 5:

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \savebox{\hv0Box}{%
2 \begin{tabular}{>{\small\ttfamily}l|l|l}\hline
3 \rmfamily Name & Type & Description\\\hline
4 \CMD{\hvFloat} & command & places object and caption in different ways\\
5 hvFloatEnv & environment & places object and caption exactly Here\\
6 \CMD{\figcaption} & command & writes a figure caption in a non floating environment\\
7 \CMD{\tabcaption} & command & writes a table caption in a non floating environment\\
8 \CMD{\hvFloatSetDefaults} & command & sets all options to the defaults\\\hline
9 \end{tabular}%
10 }
```

The code for table 4 and 5 is:

```
1 \hvFloat[%
2 floatPos=!hb,
```

```

3 capPos=top,
4 useOBox=true]{table}{}{Demonstration of the \texttt{useOBox} Parameter}{table:1}
5
6 \hvblindtext
7
8 \marginnote{Tab.-\ref{table:2}}
9 \hvFloat[%
10 floatPos=hb,
11 useOBox=true,
12 objectAngle=90,
13 capPos=right,
14 capVPos=top,
15 capWidth=0.3]{table}{}{Another demonstration of the \texttt{useOBox} Parameter}{table:2}

```

In this case leave the third parameter empty.

Table 4: Demonstration of the useOBox Parameter

Tab. 4

| Name | Type | Description |
|---------------------|-------------|---|
| \hvFloat | command | places object and caption in different ways |
| hvFloatEnv | environment | places object and caption exactly Here |
| \figcaption | command | writes a figure caption in a non floating environment |
| \tabcaption | command | writes a table caption in a non floating environment |
| \hvFloatSetDefaults | command | sets all options to the defaults |

Tab. 5

15 Text and objects

With the onlyText keyword it is no problem to put some text beside an image without getting the caption title Figure/Table. The object still can be a floating one or a nonfloating if the nonfloat keyword is used.

The code for figure 15:

```

1 \hvFloat[%
2 onlyText=true,
3 capAngle=90,
4 capPos=right,
5 capVPos=top,
6 objectFrame,
7 capWidth=h){}{\includegraphics{images/rose}}%
8 [``\texttt{onlyText}'' Caption]{%
9 Demonstration of the \texttt{onlyText} Parameter, which makes it
10 possible to put some text beside a floating object without getting
11 a starting \texttt{Figure:} or \texttt{Table:}}{fig:text}

```



Demonstration of the onlyText Parameter, which makes it possible to put some text beside a floating object without getting a starting Figure: or Table:

Fig. 15

| Name | Type | Description |
|---------------------|-------------|---|
| \hvFloat | command | places object and caption in different ways |
| hvFloatEnv | environment | places object and caption exactly Here |
| \figcaption | command | writes a figure caption in a non floating environment |
| \tabcaption | command | writes a table caption in a non floating environment |
| \hvFloatSetDefaults | command | sets all options to the defaults |

Table 5: Demonstration of the use0Box Parameter

16 Environment hvFloatEnv

With the environment hvFloatEnv one can place an object exactly on that position where the environment is defined. For captions the use of \captionof is recommended:

```

1 \begin{hvFloatEnv}
2 \captionof{table}{A caption for a nice table}
3 \begin{tabular}{@{} l c r @{}}\hline
4 left & center & right \\
5 L & C & R \\
6 \end{tabular}
7 \end{hvFloatEnv}

```

Table 6: A caption for a nice table

| | | |
|------|--------|-------|
| left | center | right |
| L | C | R |

The environment has an optional argument for setting the line width which is preset to \textwidth. The object is always centered.

```

1 \begin{hvFloatEnv}[0.5\textwidth]
2 \captionof{table}{A caption for a nice table}
3 \begin{tabular}{@{} l c r @{}}\hline
4 left & center & right \\
5 L & C & R \\
6 \end{tabular}
7 \end{hvFloatEnv}

```

Table 7: A caption for a nice table

| left | center | right |
|------|--------|-------|
| L | C | R |

17 Full page objects in onecolumn mode

For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. hvfloat defines three additional optional arguments for placing images in a complete column, page or paper:

```

\define@key{Gin}{fullpage}[true]{%           \define@key{Gin}{FullPage}[true]{%
  \def\Gin@ewidth{\columnwidth}%             \def\Gin@ewidth{\textwidth}%
  \def\Gin@eheight{\textheight}%             \def\Gin@eheight{\textheight}%
  \Gin@boolkey{false}{iso}%                   \Gin@boolkey{false}{iso}%
}                                               }
\define@key{Gin}{FULLPAGE}[true]{%
  \def\Gin@ewidth{\paperwidth}%
  \def\Gin@eheight{\paperheight}%
  \Gin@boolkey{false}{iso}%
}

```

Figure 32 on the next page shows the meaning of the optional arguments fullpage, FullPage, and FULLPAGE for `\includegraphics [...]{tiger}`.

17.1 Using the textarea

The setting capPos=evenPage (even) or capPos=oddPage (odd) page for a document in twocolumn mode makes no real sense. For a twosided document a setting like capPos=inner for inner or capPos=outer for outer margin makes more sense. For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. Without any additional argument the caption is set first and the object on the following page:

17.1.1 Using the default or capPos=before

Without any additional argument the caption is set first (left) at the bottom of the current page and the object on the following page. This is the same setting like capPos=left for a onecolumn document. For the twocolumn option it makes more sense to use the setting capPos=before if the caption and object can appear on different pages.

```

1 \hvFloat[fullpage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A fullpage float with the default caption setting]%
5 [A default caption of a ``fullpage'' object with the default setting, which

```




Figure 32: Output of fullpage1s2c (pages 1–8)

```

6 is a ``left'' caption which means that it always appears ``before'' the object.
7 This can be an even or odd page. And some more text which has no
8 real meaning because it fills only the space for a long caption.}%
9 {fig:fullpage0}

```

Table 8: Valid optional arguments for a full page object.

| Name | Type | Description |
|---------------|------------|--|
| fullpage | true false | Put the caption on the bottom of the preceding or following page and the object alone a page. |
| FULLPAGE | true false | The same for full papersize objects over one or two columns. The pagestyle is set to empty |
| multiFloat | true false | For multiple objects with captions for every object. See section 17.3 on page 37. |
| subFloat | true false | For multiple objects with one main and more subcaptions. See section 18 on page 39. |
| separatorLine | true | Put a line with a predefined width of 0.4pt between the text and the caption. Only valid for the keyword fullpage. |
| capPos | value | caption before, after an object or on an evenPage or oddPage. |

With this setting the caption is always placed *before* the following object. This maybe sufficient for a oneside document but not the best solution if this document is printed on a duplex machine. In such a case it may make sense to have the captions always on an even (left) page, even though the document is typeset in a oneside mode. Figure 33 on the facing page

shows the output for a oneside document with a setting capPos=before .

Depending to the used documentclass it can be a problem, if the caption should be placed on the first page. In such a case use one of the other setting. Table 8 on the preceding page shows the valid optional arguments for a full page floating object.




Figure 33: Output of default1s1c (pages 2–9)

17.1.2 Using capPos=after

The caption will be printed always on the right side which is the same as *after* the full page object. The object appears immediately on the next page and the caption of the next following page at the bottom. There is no check for an even or odd page. This behaviour makes only sense for a oneside document.

```
1 \hvfFloat[fullpage, capPos=after]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float which needs the complete page width and height.]%
5 {A Caption of a ``fullpage'' object, which follows on the next page.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}
8 {fig:fullpage}
```




Figure 34: Output of after1s1c (pages 2–9)

17.1.3 Using capPos=evenPage — caption on an even page

With capPos=evenPage the caption will be printed on an even (left) page, the object will always be on an odd (right) page. This option makes only real sense for The twoside mode!

```

1 \hvFloat[fullpage, capPos=evenPage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float with a caption on an even page (left)]%
5 {A caption on an even (left) page of a ``fullpage'' object.. \blindtext}%
6 {fig:fullpage3}

```




Figure 35: Output of even1s1c (pages 2–9)

17.1.4 Using capPos=oddPage — caption on an odd page

With capPos=oddPage the caption will be printed on an odd (right) page, the object will always be on an even (left) page, which is before the caption.

```
1 \hvFloat[fullpage, capPos=oddPage]%
2 {figure}%
3 {\includegraphics[fullpage]{images/frose}}%
4 [A float which needs the complete page width and height.]%
5 {A Caption on an odd page of a ``fullpage'' object, which follows on the next page.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}
8 {fig:fullpage2}
```




Figure 36: Output of odd1s1c (pages 2–9)

17.1.5 Using capPos=inner or capPos=outer — caption on the inner or outer side

These settings make no sense in onecolumn mode.

17.2 Using the paper size

It belongs to the user to create an object which fills the complete page. However, with the keyword FULLPAGE which is valid for \hvfloat *and* for the macro \includegraphics an image will be scaled to the paper dimensions \paperwidth and \paperheight. It can be used in one- and twocolumn mode!

```
1 \hvfloat[FULLPAGE]%
2 {figure}%
3 {\includegraphics[FULLPAGE]{froese.png}}%
4 [A fullpage float with the default caption setting]%
5 {A default caption of a ``fullpage'' object with the default setting, which
6 is a ``left'' caption which means that it always appears before the object.
7 This can be an even or odd page. And some more text which has no
8 real meaning because it fills only the space for a long caption.}%
9 {fig:fullpage0}
```




Figure 37: Output of paper-default1s1c (pages 2-9)



17.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The syntax for multiple floats is

```
\hvFloat[Options] +{float type}{floating object}[short caption]{long caption}{label}
                    +{float type}{floating object}[short caption]{long caption}{label}
                    +...
                    +{float type}{floating object}[short caption]{long caption}{label}
```

The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
1 \captionsetup{singlelinecheck=false}
2 \hvFloat[fullpage,capPos=before,multiFloat,vFill]%
3   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 1
4   [Short caption A]%
5   {A Caption A of a ``fullpage'' object, which follows on the left or
6     right column. This can be an even or odd page. And some more text which has no
7     real meaning because it fills only the space for a long caption.}%
8   {img:demo0}%
9   +{table}{\begin{tabular}{lrcp{3cm}}\hline                               %           no 2
10      Linksbündig & Rechtsbündig & Zentriert & Parbox\\\hline
11      L           & R           & C           & P\\
12      left        & right        & center      & Text with possible linebreaks\\
13      \multicolumn{4}{c}{Multicolumn over all columns}\\\hline
14      \end{tabular}}%
15   [Short Caption B]%
16   {A Caption B of a ``fullpage'' object, which follows on the left or
17     right column. This can be an even or odd page.}{}%
18   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 3
19   {A Caption C of a ``fullpage'' object, which follows on the left or
20     right column.}%
21   {img:demo1}
22   +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%           no 4
23   {A Caption C of a ``fullpage'' object, which follows on the left or
24     right column.}%
25   {img:demo2}
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to [section 18 on page 39](#). The setting `\captionsetup{singlelinecheck=false}` is needed if you want the captions always left aligned.

17 Full page objects in onecolumn mode




Figure 39: Output of multi-default1s1c (pages 4–11)




Figure 40: Output of multi-after1s1c (pages 4–11)

18 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. The syntax is similar to the one for a multifold page:

```
\hvFloat [Options] +{float type}{<empty>} [short caption] {long caption}{label}
               +{<empty>}{floating object} [short caption] {long caption}{label}
               +...
               +{<empty>}{floating object} [short caption] {long caption}{label}
```

Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```
1 \hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
2 +{figure}{}[Short main caption of the objects]% main short lsi entry
3 {The main caption of a ``fullpage'' object, which follows on the left or
4   right column. This can be an even or odd page. And some more text which has no
5   real meaning because it fills only the space for a long caption.}% main caption
6 {sub:demo0}%
7 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
8 [Short caption B]%
9 {A Caption B of a ``fullpage'' sub object.}% subcaption
10 {}%
11 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
12 {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
13 {sub:demo1}
14 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
15 {A Caption D of a ``fullpage'' object}{sub:demo2}
16 +{{\includegraphics[width=\linewidth]{images/CTAN}}}%
17 {A Caption E of a ``fullpage'' object}{sub:demo3}
```

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default and should be activated with \captionsetup[sub][singlelinecheck].




Figure 41: Output of sub-default1s1c (pages 4–11)




Figure 42: Output of sub-after1s1c (pages 4–11)

19 Full page objects in twocolumn mode

The filenames always have a “2c” for two columns in its names, e.g. left2s2c indicates capPos=before and the documentclass setting twoside and twocolumn. Depending to the used documentclass it can be a problem, if the caption should be placed on the first page of the whole document. In such a case use one of the other setting. Table 8 on page 30 shows the valid optional arguments for a full page floating object.

19.1 Default setting

For the twocolumn mode the caption can be in the left (first) or right (second) column. With the default setting (without using the keyword capPos) it is equivalent to the setting capPos=before, the caption is always placed *before* (left of) the object. This can be the first or the second column and both can be on different pages. With capPos=before (uppercase L) it is possible to get the caption and the object in the twocolumn mode always on one page. This is then the left (first) column for the caption (see figure 43).




Figure 43: Output of default2s2c (pages 2–9)

```


1 \hFloat[fullpage]{figure}%
2 {\includegraphics[width=\columnwidth,height=0.9\textheight]{images/frose}}%
3 [A float which needs the complete column width and height.]%
4 {A Caption of a ``fullpage'' object, which follows on the next column.
5 This is always the right column on an even or odd page. And some more
6 text which has no real meaning because it fills only the space for a long
7 caption.}%
8 {fig:fullpage0-2}

```

The example 43 shows that the caption and the object can be on different pages. If you do not like this behaviour, then use the setting capPos=left, which puts the caption before the

19 Full page objects in twocolumn mode

object, but always on the *same page* (see Figure 44).



19.1.1 Using capPos=after

The caption will be printed always right of the object which is the same as *after* the full page object. With capPos=after it is possible to get the caption in the twocolumn mode always in the right (second) column (see figure 46 on the next page)

```
1 \hvFloat[fullpage, capPos=after]{figure}%
2 {\includegraphics[fullpage]{images/rose}}%
3 [A float which needs the complete column width and height.]%
4 {A Caption of a ``fullpage'' object, which is on the left column.
5 This is always the right column on an even or odd page. And some more
6 text which has no real meaning because it fills only the space for a long
7 caption.}%
8 {fig:fullpage1-2}
```

The caption and the object can be on different pages (Figure 45 on the facing page). If you do not like this behaviour, then use the setting capPos=right instead of capPos=after . Figure right2s2c shows that caption and object in this case are always on the same page.




Figure 45: Output of after2s2c (pages 2–9)




Figure 46: Output of right2s2c (pages 2–9)

19.1.2 Using capPos=evenPage — caption on an even page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually `\clearpage` or wait for an update of hvfloat.




Figure 47: Output of even2s2c (pages 2–9)

19.1.3 Using capPos=oddPage — caption on an odd page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually `\clearpage` or wait for an update of hvfloat.




Figure 48: Output of odd2s2c (pages 2–9)

19.1.4 Using capPos=inner — caption in the inner column

The caption will be printed in the right column for an even page and in the left column for an odd page.

```

1 \hvfFloat[fullpage,capPos=inner]{figure}{\includegraphics[fullpage]{images/rose}}%
2 [A float which needs the complete column width and height.]%
3 {A Caption of a ``fullpage'' object, which follows on the left or right column.
4 This can be an even or odd page. And some more text which has no
5 real meaning because it fills only the space for a long caption.}{fig:fullpage3-2}

```




Figure 49: Output of inner2s2c (pages 2–9)

19.1.5 Using capPos=outer — caption on the outer column

The caption will be printed on the left column an odd page, the object can appear before or after this caption.

```

1 \hvFloat[fullpage, capPos=outer]{figure}%
2 {\includegraphics[fullpage]{images/rose}}%
3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
4 {A Caption of a ``fullpage'' object, which has the caption position in the
5 outer page. This can be an even or odd page. And some more text which has no
6 real meaning because it fills only the space for a long caption.}{fig:fullpage2-2a}

```




Figure 50: Output of outer2s2c (pages 2–9)

19.2 Using full page in twocolumn mode

With the star version of `\hvfloat` The object is placed over both columns, the whole page. In such a case the only useful caption position is `capPos=inner` for *inner*.

```

1 \hvfloat*[fullpage, capPos=inner]{figure}%
2 {\includegraphics[FullPage]{images/rose}}%
3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
4 {A caption of a ``fullpage'' object in twocolumn mode: It uses the star version
5 of \textbackslash hvfloat. The object goes over both columns.}{fig:two}

```




Figure 51: Output of paper-default2s2c (pages 2–9)




Figure 52: Output of paper-inner2s2c (pages 2-9)

19.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```

1 \captionsetup{singlelinecheck=false}
2 \hvFloat[fullpage,multiFloat,capPos=inner,vFill]%
3 +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}%% no 1
4 [Short caption A]%
5 {A Caption A of a ``fullpage'' object, which follows on the left or
6 right column. This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}%
8 {multi:demo0}%
9 +{table}{\begin{tabular}{lr}\hline                                % no 2
10     Linksbündig & Rechtsbündig\\
11     L           & R           \\
12     left       & right      \\
13     \multicolumn{2}{c}{Multicolumn}\hline
14     \end{tabular}}%
15 [Short Caption B]%
16 {A Caption B of a ``fullpage'' object, which follows on the left or
17 right column. This can be an even or odd page.}%
18 {}%
19 +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}%% no 3
20 {A Caption C of a ``fullpage'' object, which follows on the left or
21 right column.}%
22 {multi:demo1}

```

20 Subfloat page

The page with the objects has no additional informations it holds only the figures and and/or tabulars. If you want it like subfigures or subtabulars then go to section 18 on page 39. The setting `\captionsetup{singlelinecheck=false}` is needed if you want the captions always left aligned.




Figure 53: Output of multi-default2s2c (pages 2-9)

20 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```

1 \captionsetup[sub]{singlelinecheck}
2 \hvfFloat[fullpage, capPos=before, objectFrame, subFloat, vFill]%
3 +{figure}{}[Short main caption of the objects]% main short lsi entry
4 {The main caption of a ``fullpage'' object, which follows on the left or
5 right column. This can be an even or odd page. And some more text which has no
6 real meaning because it fills only the space for a long caption.}% main caption
7 {sub:demo00}%
8 +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
9 [Short caption B]%
10 {A Caption B of a ``fullpage'' sub object.}% subcaption
11 {}%
12 +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
13 {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
14 {sub:demo10}
15 +{{\includegraphics[height=0.28\textheight]{images/rose}}}%
16 {A Caption D of a ``fullpage'' object}%
17 {sub:demo20}

```




Figure 54: Output of multi-inner2s2c (pages 2-9)

The keyword `subFloat` defines the images or tabulars as subfloats. The package `subcaption` is loaded by default. For the subcaptions the `singlelinecheck` should be true (see listing).




Figure 55: Output of sub-default2s2c (pages 2-9)




Figure 56: Output of sub-after2s2c (pages 2-9)

21 Doublepage objects – images and/or tabulars

If an image or a tabular or any other object is too big for one page, it can be split over two pages (left – right). It is obvious that this makes only sense for twoside documents. There are three optional arguments:

doublePage A splitted object with or without a caption on top of a double page, beginning in the left top text area. The user has to scale the image to be sure that the object will not be greater than $2\backslash\text{paperwidth}-4\backslash\text{margin}$. The caption can be rotated on the right side of the right object part or under the right part.

doublePAGE A splitted object with or without a caption on top of a double page, beginning at the left side of the paper area and top of the text area. The user has to scale the image to be sure that the object will not be greater than $2\backslash\text{paperwidth}$. The caption can only be under the right part of the object. The will be *no additional text* on the double page.

doubleFULLPAGE A splitted object with or without a caption on the right or below of a double page. The object can fill the complete double page. The user has to scale the image to be sure that the object will not be greater than $2\backslash\text{paperwidth}$. A caption will be rotated and written *over* the object, or if possible, at the right. The user has to take care for a correct text color.

21.1 doubleFULLPAGE

The scaling of the image is left to the user. If the proportion of the object doesn't fit $2*\text{paperwidth}/\text{paperheight}$, then there can be a white part on the top or bottom of the object. A pagenumber will not be printed. In this documentation you'll find a marginnote where the following full doublepage image is defined. It appears on the the next following even page and following text will be placed *before* the object.

```
1 \hvFloat[doubleFULLPAGE,capPos=right,capAngle=90]%  
2 {figure}%  
3 {\includegraphics[width=2\paperwidth]{images/r+j2}}%  
4 [A doublepage image with a caption on the image.]%  
5 {A caption for a double-sided image that will be placed below the right-hand  
6 part of the illustration. The illustration begins on the left edge of the paper.  
7 No further text is placed on the pages. A short form is used for the LOF.  
8 The parameter is \texttt{doubleFULLPAGE}}%  
9 {fig:doubleFULLPAGE0}
```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Fig. 57





Figure 57: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest

gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

It is also possible to take a bind correction into account with e.g. `binCorr=5mm`, which reserves whitespace of 5mm in the inner margin on both pages.

```

1 \hvFloat[doubleFULLPAGE, capPos=right, binCorr=5mm]%
2 {figure}%
3 {\includegraphics[width=2\paperwidth]{images/r+j3}}%
4 [A doublepage image with a caption on the image.]%
5 {A caption for a double-sided image that will be placed below the right-hand
6  part of the illustration. The illustration begins on the left edge of the paper.
7  No further text is placed on the pages. A short form is used for the LOF.
8  The parameter is \texttt{doubleFULLPAGE}}%
9 {fig:doubleFULLPAGE0a}

```

Fig. 58

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text

will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should





be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doubleFULLPAGE,capPos=right]%
2 {figure}%
3 {\includegraphics[height=\paperheight]{images/rheinsberg-1000}}%
4 {A caption for a double-sided image that will be placed on the right-hand
5  part of the illustration. The illustration begins on the left edge of the paper.
6  No further text is placed on the pages. A short form is used for the LOF.
7  The parameter is \texttt{doubleFULLPAGE}}%
8 {fig:doubleFULLPAGE1}

```

Fig. 59

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of





Figure 59: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Placing the caption on the image itself is not the best solution. With the optional arguments before and after for capPos, the caption can be placed on the bottom of the preceding or following page of the doublepage object. A givel label, e.g. foo will always point to the page with the left part of the object. Internally are two additional labels defined: foo-cap points to the caption and foo-2 points to the right part of the doublepage object.

In the follwoing example 60 the caption is on page 70, the left image part on page 68 and the right part on page 69. In the follwoing example 61 the caption is on page 71, the left image part on page 72 and the right part on page 73. All three labels points to the same figure or table number:

```
\ref{foo} | \ref{foo-cap} | \ref{foo-2} → 60 | 60 | 60
\pageref{foo} | \pageref{foo-cap} | \pageref{foo-2} → 68 | 70 | 69
```

```
1 \hvFloat[doubleFULLPAGE,capPos=after]%
2 {figure}%
3 {\includegraphics[doubleFULLPAGE,
4   keepaspectratio=false]{images/rheinsberg-1000}}%
5 {A caption for a double-sided image that will be placed \textbf{after}
6   the image. The image begins on the left edge of the paper.
7   No further text is placed on the pages. A short form is used for the LOF.
8   The parameter is \texttt{doubleFULLPAGE}}%
9 {foo}
```

Fig. 60

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A





blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no

Figure 60: A caption for a double-sided image that will be placed **after** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doubleFULLPAGE,capPos=before]%
2 {figure}%
3 {\includegraphics[height=\paperheight,width=2\paperwidth,
4   keepaspectratio=false]{images/rheinsberg-1000}}%
5 {A caption for a double-sided image that will be placed \textbf{before}
6   the image. The image begins on the left edge of the paper.
7   No further text is placed on the pages. A short form is used for the LOF.
8   The parameter is \texttt{doubleFULLPAGE}}%
9 {bar}

```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Fig. 61

Figure 61: A caption for a double-sided image that will be placed **before** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE





And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest

gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.2 doublePAGE

With this option the object also starts at the left paper margin but on the top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it.

```

1 \hvFloat[doublePAGE]%
2 {figure}%
3 {\includegraphics[width=\dimexpr2\textwidth+2in]{images/seiser}}%
4 [A doublepage image with a caption below the right part.]%
5 {A caption for a double-sided image that will be placed below the right-hand
6 part of the illustration. The illustration begins on the left edge of the paper.
7 No further text is placed on the pages. A short form is used for the LOF.
8 The parameter is \texttt{doublePAGE}}%
9 {fig:doublePAGE0}

```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

Fig. 62





Figure 62: A caption for a double-sided image that will be placed below the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doublePAGE

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.3 doublePage

With this option the object also starts at the left top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it and the rest of the text area is filled with text.

```

1 \hvFloat[doublePage,sameHeight]%
2 {figure}%
3 {\includegraphics[doublefullPage]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6 right-hand part of the illustration. The illustration begins on the left edge of
7 the paper. A short form is used for the LOF.
8 The parameter is \texttt{doublePage}}%
9 {fig:doublePage@sh}

```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

Fig. 63



be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should



Figure 63: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doublePage,capPos=right,capVPos=top]%
2 {figure}%
3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6 right-hand part of the illustration. The illustration begins on the left edge of
7 the paper. A short form is used for the LOF.
8 The parameter is \texttt{doublePage}}%
9 {fig:doublePage0}

```

Fig. 64

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written



and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text



Figure 64: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```

1 \hvFloat[doublePage,bindCorr=inner]%
2 {figure}%
3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
4 [A doublepage image with a caption on the right side of the right part.]%
5 {A caption for a double-sided image that will be placed on the right side of the
6   right-hand part of the illustration. The illustration begins on the left edge of
7   the paper. A short form is used for the LOF.
8   The parameter is \texttt{doublePage}}%
9 {fig:doublePage0sH2}

```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest

Fig. 65



gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of



Figure 65: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.4 Tabulars

In General there is no difference in an image or tabular or simple text. The object will be saved in a box and then clipped. If the object is a tabular one might modify the tabular if it will be split in the middle of a column. In such a case one can insert some additional horizontal space for this coloumn.

The tabular itself can be saved into the internal box \hv0Box or put directly as parameter into the macro.

```

1 \global\savebox\hv0Box{%
2 \begin{tabular}{l*{18}r} \toprule
3 & \textbf{1972} & \textbf{1973} & \textbf{1974} & \textbf{1975} & \textbf{1976}
4 & \textbf{1977} & \textbf{1978} & \textbf{1979} & \textbf{1980} & \textbf{1981} & \textbf{1982} & \textbf{1983} & \textbf{1984} & \textbf{1985}
5 & \textbf{1986} & \textbf{1987} & \textbf{1988} & \textbf{1989}
6 \\ \midrule
7 \addlinespace[3pt]
8 Zeile 1 & 1 & 3 & 1 & 1 & 1 & 0 & 1 & 1 & 0 & 0 & 0 & 0 & 20 & 0 & 2 & 2 & 2 & 1 \\ \addlinespace[3pt]
9 Zeile 2 & 1 & 1 & 3 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 3 & 4 & 4 & 6 & 4 & 2 \\ \addlinespace[3pt]
10 Zeile 3 & 2 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 5 & 3 & 1 & 7 & 7 & 3 \\ \addlinespace[3pt]
11 Zeile 4 & 1 & 0 & 5 & 1 & 2 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 0 & 1 & 0 & 3 & 7 & 2 & 1 \\ \addlinespace[3pt]
12 Zeile 6 & 2 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 0 & 5 & 2 & 2 & 5 & 4 & 2 \\ \addlinespace[3pt]
13 Zeile 5 & 0 & 0 & 4 & 2 & 1 & 2 & 2 & 1 & 0 & 0 & 0 & 1 & 1 & 0 & 2 & 5 & 4 & 3 & 1 \\ \addlinespace[3pt]
14 Zeile 8 & 0 & 1 & 1 & 0 & 0 & 0 & 0 & 1 & 1 & 0 & 3 & 2 & 1 & 2 & 1 & 3 & 5 & 3 & 4 \\ \addlinespace[3pt]
15 Zeile 9 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 4 & 2 & 1 & 4 & 5 & 2 \\ \addlinespace[3pt]
16 Zeile10 & 0 & 1 & 3 & 0 & 1 & 0 & 1 & 0 & 0 & 1 & 1 & 0 & 1 & 1 & 1 & 1 & 4 & 4 & 1 \\ \addlinespace[3pt]
17 Zeile11 & 0 & 0 & 2 & 2 & 1 & 1 & 0 & 1 & 0 & 0 & 0 & 0 & 2 & 6 & 1 & 0 & 2 & 1 & 1 \\ \addlinespace[3pt]
18 Zeile12 & 2 & 0 & 2 & 4 & 1 & 0 & 4 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 3 & 1 \\ \addlinespace[3pt]
19 Lärm & 2 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 2 & 0 & 0 & 2 & 2 & 2 & 2 \\ \addlinespace[3pt]
20 Zeile13 & 0 & 1 & 0 & 0 & 1 & 0 & 3 & 0 & 0 & 0 & 0 & 0 & 2 & 0 & 1 & 3 & 0 & 2 & 0 \\ \addlinespace[3pt]
21 Zeile14 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 3 & 3 & 2 & 1 & 1 & 0 & 0 \\ \addlinespace[3pt]

```

```

22 Zeile15 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 4 & 0 & 0 & 3 & 1 & 1 \\addlinespace[3pt]
23 Zeile16 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 3 & 5 & 0 & 1 \\addlinespace[3pt] \\
midrule
24 Artikel gesamt & 2 & 6 & 13 & 8 & 4 & 3 & 5 & 4 & 0 & 6 & 3 & 5 & 23 & 10 & 8 & 15 & 13 & 1 \\
25 \\bottomrule
26 \\end{tabular}}
27
28 \\Blindtext
29
30 \\hvFloat[doublePage,capPos=right,capVPos=top,floatCapSep=12pt]%
31 {table}%
32 {\\usebox\\hv0Box}%%%%%%%%%%
33 [A doublepage tabular with a caption on the right side of the right part.]%
34 {A caption for a double-sided tabular that will be placed on the right side of the
35 right-hand part of the illustration. The illustration begins on the left edge of
36 the paper. A short form is used for the LOF.
37 The parameter is \\texttt{doublePage}}%
38 {tab:doublePage3}

```

Tab. 9

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

| | 1972 | 1973 | 1974 | 1975 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1983 |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| Zeile 1 | 1 | 3 | 1 | 1 | 1 | 0 | 1 | 1 | 0 | 0 | 0 | |
| Zeile 2 | 1 | 1 | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | |
| Zeile 3 | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Zeile 4 | 1 | 0 | 5 | 1 | 2 | 0 | 0 | 0 | 0 | 2 | 1 | |
| Zeile 6 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | |
| Zeile 5 | 0 | 0 | 4 | 2 | 1 | 2 | 2 | 1 | 0 | 0 | 0 | |
| Zeile 8 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 2 | |
| Zeile 9 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | |
| Zeile10 | 0 | 1 | 3 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | |
| Zeile11 | 0 | 2 | 2 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | |
| Zeile12 | 2 | 0 | 2 | 4 | 1 | 0 | 4 | 0 | 0 | 0 | 0 | |
| Lärm | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Zeile13 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 0 | |
| Zeile14 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Zeile15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | |
| Zeile16 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | |
| Artikel gesamt | 2 | 6 | 13 | 8 | 4 | 3 | 5 | 4 | 0 | 6 | 3 | |

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text

| 33 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 |
|----|------|------|------|------|------|------|
| 0 | 20 | 0 | 2 | 2 | 2 | 1 |
| 1 | 3 | 4 | 4 | 6 | 4 | 2 |
| 1 | 5 | 3 | 1 | 7 | 7 | 3 |
| 0 | 1 | 0 | 3 | 7 | 2 | 1 |
| 0 | 5 | 2 | 2 | 5 | 4 | 2 |
| 1 | 1 | 0 | 2 | 5 | 4 | 3 |
| 1 | 2 | 1 | 3 | 5 | 3 | 4 |
| 0 | 4 | 2 | 1 | 4 | 5 | 2 |
| 0 | 1 | 1 | 1 | 4 | 4 | 1 |
| 2 | 6 | 1 | 0 | 2 | 1 | 1 |
| 0 | 0 | 0 | 0 | 1 | 0 | 3 |
| 0 | 2 | 0 | 0 | 2 | 2 | 2 |
| 0 | 2 | 0 | 1 | 3 | 0 | 2 |
| 0 | 3 | 3 | 2 | 1 | 1 | 0 |
| 0 | 4 | 0 | 0 | 3 | 1 | 1 |
| 0 | 0 | 0 | 3 | 5 | 0 | 1 |
| 5 | 23 | 10 | 8 | 15 | 13 | 1 |

Table 9: A caption for a double-sided tabular that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

22 References to the page

With the command `\pageref` one can have a reference to the page number of a caption. For the `fullpage` option this can be the wrong page if someone wants a refence to the page where the object is set. Let’s assume that we use something like

```
\hvfFloatSetDefaults
\hvfFloat[fullpage,capPos=evenPage]{figure}%
{\IncludeGraphics{images/frose}}%
```

23 Defining a style

```
[A float which needs the complete paper width and height.]%  
{A Caption of a ``fullpage'' object, which follows on the next page.  
This can be an even or odd page. The object uses the complete paper dimensions}%  
{demo:fullpage}
```

The label `demo:fullpage` is used for the *image* and not for the caption! Internally another label called `demo:fullpage-cap` is set on the caption page which can be before or behind the object (depending to the optional argument of `capPos`). For example:

The caption of figure~\ref{demo:fullpage-cap} is on page~\pageref{demo:fullpage-cap}, but the image itself is on page~\pageref{demo:fullpage}.

The caption of figure 67 is on page 94, but the image itself is on page 95. With package `varioref` it is:

Whith the package `\pack{varioref}` ([\url{https://ctan.org/pkg/varioref}](https://ctan.org/pkg/varioref)) one can get something like: see figure~\vref{demo:fullpage}, which uses a ^correct page number of the floatinmg object and not the caption page number which is~\vpageref{demo:fullpage-cap}. The figure~\ref{demo:fullpage} is on page~\pageref{demo:fullpage} and the caption on page~\pageref{demo:fullpage-cap}

Whith the package `varioref` (<https://ctan.org/pkg/varioref>) one can get something like: see figure 67 on page 95, which uses a correct page number of the floating object and not the caption pagenummer which is on page 94. The figure 67 is on page 95 and the caption on page 94

23 Defining a style

With `\hvDefFloatStyle` one can define a special style to get rid of the individual setting:

`\hvDefFloatStyle{name}{setting}`

For example:

```
1 \hvDefFloatStyle{RightCaption}{floatPos=htb, capWidth=0.5, capPos=after,  
2                               capVPos=bottom, objectPos=center}  
3  
4 \hvFloat[style=RightCaption]{figure}{\includegraphics{images/rose}}%  
5   {Caption vertically centered right beside the float with a caption width of  
6   \texttt{0.5\textbackslash columnwidth}.}{fig:style}
```



Figure 66: Caption at bottom right beside the float with a caption width of `0.5\columnwidth`.

24 Global float setting

Instead of writing the following sequence into the preamble:

```
\makeatletter  
\renewcommand\fps@figure{tb}  
\renewcommand\fps@table{t}  
\makeatother
```

you can change the global setting of floats by loading the package `hvfloa-fps`. It allows optional package options to set the global placement:

```
\usepackage[figure=tb,table=t]{hvfloa-fps}
```

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Figure 67: A Caption of a “fullpage” object, which follows on the next page. This can be an even or odd page. The object uses the complete paper dimensions



After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like “Huardest gefburn”? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Index

A

\abovecaptionskip (skip), 7
\addtolength, 7
after (value), 8, 30, 32, 42, 66
afterpage (package), 7
atbegshi (package), 7

B

before (value), 8, 12, 29ff, 41, 66
\belowcaptionskip (skip), 7
bottom (value), 8

C

capAngle (keyword), 8
capFormat (keyword), 9, 18
capPos (keyword), 8, 14f, 18f, 21, 29–34, 41f, 44–48, 66, 92
capVPos (keyword), 8
capWidth (keyword), 8, 11f
caption (package), 7, 9
\caption, 9
caption (package), 17
\caption, 17
\captionof, 28
\captionsetup, 17f, 37, 39, 50
center (value), 8
\clearpage, 44f
\columnwidth (length), 11
\columnwidth, 8

D

doubleFULLPAGE (keyword), 9, 53
doublePAGE (keyword), 9, 53, 75
doublePage (keyword), 9, 53, 79

E

evenPage (value), 8, 29f, 33, 44
expl3 (package), 7

F

FULLPAGE (keyword), 9, 29f, 35
false (value), 37, 50
fbox (package option), 7
\fbox, 7
\figcaption, 7, 10, 27f
figure (environment), 9f, 26
float (package), 26
floatCapSep (keyword), 8, 18

\floatCapSep (length), 18
floatCapSep (keyword), 10
floatPos (keyword), 8, 22
\frame, 10
FullPage (keyword), 9, 29
fullpage (keyword), 9, 29f, 91

G

graphicx (package), 7

H

h (value), 12
\hvDefFloatStyle, 8, 10, 92
\hvFloat, 7f, 10, 18, 26ff, 37, 39
\hvFloat*, 22
hvFloatEnv (environment), 10, 28
\hvFloatSet, 7
\hvFloatSetDefaults, 7, 10, 27f
\hv0Box, 26, 88
\hvfloat, 35, 48
hvfloat (package), 7, 29, 44f
hvfloat-fps (package), 93
hypcap (package option), 7
hyperref (package option), 7
hyperref (package), 7

I

ifoddpaper (package), 7
\includegraphics, 35
\inclugegraphics, 29
inner (value), 8, 14, 29, 34, 46, 48

K

Keyword

- capPos, 14f, 18f, 21, 29, 31–34, 41f, 44–48
- capWidth, 12
- floatPos, 22
- objectPos, 18, 22
- singlelinecheck, 37, 50

L

l (value), 22
left (value), 8, 12, 18f, 29, 41
\linewidth (length), 11
\listoffigures, 7
lscap (package), 22

M

\marginparwidth (length), 8, 20

multiFloat (keyword), 30

multido (package), 7

N

nonFloat (keyword), 7f, 24

nonfloat (package), 24

nonfloat (keyword), 27

nostfloats (package option), 7

O

objectAngle (keyword), 8

objectFrame (keyword), 9f

objectPos (keyword), 8, 18, 22

oddPage (value), 8, 29f, 34, 45

onecolumn, 34

oneside, 30

onlyText (keyword), 8, 27

outer (value), 8, 14f, 21, 29, 34, 47

P

p (value), 22

\pageref, 91

\paperheight (length), 35

\paperwidth (length), 35

pdfscape (package), 22

R

right (value), 8, 42

rotAngle (keyword), 8

\rotatebox, 13

S

sameHeight (keyword), 9

separatorLine (keyword), 30

\setlength, 7

singlelinecheck (keyword), 37, 39, 50f

stfloats (package), 7

style (keyword), 9

subFloat (keyword), 30, 39, 51

subcapFormat (keyword), 9, 18

\subcaption, 9, 17

subcaption (package), 7, 39, 51

\subcaptionsetup, 17f

T

\tabcaption, 7, 10, 27f

\tabcaptionbelow, 7

table (environment), 9f, 26

\textwidth (length), 8, 28

top (value), 8

twocolumn (package option), 29, 41

twocolumn, 22, 29, 41

twoside (package option), 33, 41

twoside, 14

U

use0Box (keyword), 8, 26

V

vFill (keyword), 9

Value

- after, 32, 42

- before, 29, 31, 41

- evenPage, 29, 33, 44

- false, 37, 50

- h, 12

- inner, 14, 29, 34, 46, 48

- l, 22

- left, 18f, 29, 41

- oddPage, 29, 34, 45

- outer, 14f, 21, 29, 34, 47

- p, 22

- right, 42

- w, 12

varioref (package), 92

\vfill, 9

W

w (value), 12

wide (keyword), 8, 10, 20

X

xkeyval (package), 7

25 The Package Source

```
1 %% $Id: hvfloat.sty 453 2022-02-28 14:50:24Z herbert $
2 %%
3 %%
4 %% IMPORTANT NOTICE:
5 %%
6 %% This is file `hvfloat.sty',
7 %%
8 %% Herbert Voss <hvoss@tug.org>
9 %%
10 %% This program can be redistributed and/or modified under the terms
11 %% of the LaTeX Project Public License Distributed from CTAN archives
12 %% in directory macros/latex/base/lppl.txt.
13 %%
14 %% DESCRIPTION:
15 %% `hvfloat' offers rotating of captions and objects for floats
16 %%
17 \NeedsTeXFormat{LaTeX2e}
18 \def\fileversion{2.37}
19 \def\filedate{2022/02/28}
20 %\message{'hvfloat' v\fileversion, \filedate\space (Herbert Voss)}
21 \ProvidesPackage{hvfloat}[\filedate\space v\fileversion\space special floating objects (hv)]
22 \let\hvFloatFileVersion\fileversion
23 %
24 \newif\ifhv@fbox \hv@fboxfalse
25 \newif\ifhv@hyperref \hv@hyperreffalse
26 \newif\ifhv@nostfloats \hv@nostfloatsfalse
27 \newif\ifhv@tugboat \hv@tugboatfalse
28
29 \DeclareOption{fbox}{\hv@fboxtrue\setlength{\fboxsep}{1pt}}
30 \DeclareOption{hyperref}{\hv@hyperreftrue}
31 \DeclareOption{nostfloats}{\hv@nostfloatstrue}
32 \DeclareOption{no-stfloats}{\hv@nostfloatstrue}
33
34 \ProcessOptions
35
36
37 \PassOptionsToPackage{hypcap}{caption}
38 \RequirePackage{caption}
39 \RequirePackage{varwidth}
40 \DeclareCaptionBox{varwidth}{\varwidth[b]{#1}#2\endvarwidth}
41
42 \PassOptionsToPackage{hypcap}{subcaption}
43 \RequirePackage{subcaption}
44 \RequirePackage{atbegshi}
45 \RequirePackage{picture,trimclip}
46
47 \RequirePackage{expl3,multido}
48 \RequirePackage{graphicx}
49 \RequirePackage{varwidth}
50
51 \RequirePackage{xkeyval}
52 \RequirePackage{ifoddpage}
53 \RequirePackage{afterpage}
54
55 \ifhv@hyperref
56   \RequirePackage{hyperref}
57 \fi
58 \ifhv@nostfloats\else
59   \RequirePackage{stfloats}% for bottom floats in a twocolumn mode
60 \fi
61 %
62 \providecommand*\LenToUnit[1]{\strip@pt\dimexpr#1*\p@/\unitlength}
63
64 \newlength\hvObjectWidth
```

```

65 \newlength\hvCapWidth
66 \newlength\hvWideWidth
67 \newlength\hvMultiFloatSkip
68 \newlength\hvMaxCapWidth
69 %\AtBeginDocument{%
70 % \setlength\hv@BottomSpace{\dimexpr\paperheight-1in-\topmargin-\headheight-\headsep-\textheight}}
71
72 \newsavebox\hvObjectBox
73 \newsavebox\hvCaptionBox
74 \newsavebox\hvOBox
75 \newsavebox\@tempbox
76 \newsavebox\hv@caption@box
77 \newsavebox\hv@leftBox
78 \newsavebox\hv@rightBox
79
80 \newif\ifhv@capbeside \hv@capbesidefalse
81 \newif\ifhv@switchType
82
83 \def\hv@Top{top}
84 \def\hv@Bottom{bottom}
85 \def\hv@After{after}
86 \def\hv@Before{before}
87 \def\hv@Right{right}
88 \def\hv@Left{left}
89 \def\hv@Center{center}
90 \def\hv@Outer{outer}
91 \def\hv@Inner{inner}
92 \def\hv@Even{evenPage}
93 \def\hv@Odd{oddPage}
94 \def\hv@Natural{n}
95 \def\hv@Width{w}
96 \def\hv@Height{h}
97 \def\hv@Zero{0}
98 %
99 \def\hv@figure{figure}
100 %
101 \define@key{hvSet}{floatPos}[tbp]{% LaTeX's position parameters http
102 \def\hvSet@floatPos{#1}%
103 }
104 \define@key{hvSet}{rotAngle}[0]{% rotates caption AND image together
105 \def\hvSet@rotAngle{#1}%
106 }
107 \define@key{hvSet}{capWidth}[n]{% (n)atural width|object (w)idth|object (h)eight|<scale of |
108 \def\hvSet@capWidth{#1}%
109 }
110 \define@key{hvSet}{capAngle}[0]{% -360..+360, only integers
111 \def\hvSet@capAngle{#1}%
112 }
113
114 \define@choicekey*+{hvSet}{capPos}[\val\nr]{bottom,top,left,before,right,after,inner,outer,evenPage,
115 oddPage}[bottom]{%
116 \def\hvSet@capPos{#1}% it is relativ to the object, (e),(d) only valid for fullpage float
117 \ifcase\nr\relax
118 \hv@capbesidefalse
119 \or
120 \hv@capbesidefalse
121 \else
122 \hv@capbesidetrue
123 \fi
124 }{\PackageWarning{hvfloating}{erroneous input (#1) for capPos ignored. Using bottom.}}%
125 \def\hvSet@capPos{bottom}% it is relativ to the object, (e),(d) only valid for fullpage float
126 \hv@capbesidefalse
127 }
128
129 \define@choicekey*+{hvSet}{capVPos}[\val\nr]{bottom,center,top}[center]{%
130 \def\hvSet@capVPos{#1}% it is relativ to the object

```



```

130 \ifcase\nr\relax
131 \def\hv@capVPos{b}%
132 \or
133 \def\hv@capVPos{c}%
134 \else
135 \def\hv@capVPos{t}%
136 \fi
137 }{\PackageWarning{hvfloating}{erroneous input (#1) for capVPos ignored. Using center.}%
138 \def\hvSet@capVPos{center}% it is relativ to the object
139 }
140
141 \define@choicekey*+{hvSet}{capHPos}{\val\nr}{left,center,right}[center]{%
142 \def\hvSet@capHPos{#1}%
143 \ifcase\nr\relax
144 \gdef\hv@caoHPos{l}%
145 \or
146 \gdef\hv@capHPos{c}%
147 \else
148 \gdef\hv@capHPos{r}%
149 \fi
150 }{\PackageWarning{hvfloating}{erroneous input (#1) for capHPos ignored. Using center.}%
151 \def\hvSet@capHPos{center}% it is relativ to the object
152 }
153
154 \define@choicekey*+{hvSet}{objectPos}{\val\nr}{left,center,right,inner,outer}[center]{%
155 \def\hvSet@objectPos{#1}% it is relativ to the object
156 }{\PackageWarning{hvfloating}{erroneous input (#1) for objectPos ignored. Using center.}%
157 \def\hvSet@capVPos{center}% it is relativ to the object
158 }
159 \define@key{hvSet}{objectAngle}[0]{% -360..+360
160 \def\hvSet@objectAngle{#1}%
161 }
162 \define@key{hvSet}{floatCapSep}[5pt]{% a width with the unit pt
163 \def\hvSet@floatCapSep{#1}%
164 }
165 \define@key{hvSet}{multiFloatSkip}{\normalbaselineskip}{% a width with the unit pt
166 \setlength\hvMultiFloatSkip{#1}%
167 }
168 \define@boolkey{hvSet}{hv@}{useOBox}[true]{% use of the hvOBox contents
169 \define@boolkey{hvSet}{hv@}{nonFloat}[true]{% Do not use float environment
170 \define@boolkey{hvSet}{hv@}{onlyText}[true]{% Write the caption only as text
171 \define@boolkey{hvSet}{hv@}{wide}[true]{% Write the caption only as text
172 \define@boolkey{hvSet}{hv@}{twoColumnCaption}[true]{\global\@nameuse{hv@twoColumnCaption#1}}{% Write the
caption only as text
173 \define@boolkey{hvSet}{hv@}{sameHeight}[true]{\@nameuse{hv@sameHeight#1}}{% Write the caption only as text
174 \define@boolkey{hvSet}{hv@}{Debug}[true]{% give more infos in the terminal
175
176 \newif\ifhv@fullpage
177 \newif\ifhv@FULLPAGE
178 \newif\ifhv@doubleFULLPAGE
179 \newif\ifhv@doublePAGE
180 \newif\ifhv@doublePage
181 \newif\ifhv@setObjectLabel
182 \newif\ifhv@global@sameHeight
183 \newif\ifhv@forceOutput
184
185 \newlength\hvSet@bindCorrection
186 \newlength\hvSet@sepLineskip
187 \newlength\hv@leftPageObjectWidth% for doublepage images
188 \newlength\hv@tempWidthA
189 \newlength\hv@tempWidthB
190 \newlength\hv@minTextlines
191 \newlength\hv@floatCapSep
192 \newlength\hvSet@bindCorr
193
194 \define@key{hvSet}{fullpage}[true]{\global\@nameuse{hv@fullpage#1}}%
195 \define@key{hvSet}{FULLPAGE}[true]{\global\@nameuse{hv@FULLPAGE#1}}

```

```

196 \define@key{hvSet}{doubleFULLPAGE}[true]{\global\@nameuse{hv@doubleFULLPAGE#1}\hv@doublePagefalse\
    hv@doublePAGEfalse}
197 \define@key{hvSet}{doublePAGE}[true]{\global\@nameuse{hv@doublePAGE#1}\hv@doublePagefalse\
    hv@doubleFULLPAGEfalse}
198 \define@key{hvSet}{doublePage}[true]{\global\@nameuse{hv@doublePage#1}\hv@doublePAGEfalse\
    hv@doubleFULLPAGEfalse}
199 \define@key{hvSet}{bindCorr}[0pt]{%
200   \def\hv@temp{#1}%
201   \ifx\hv@temp\hv@Inner
202     \setlength\hvSet@bindCorr{\dimexprlin+\oddsidemargin}%
203   \else
204     \setlength\hvSet@bindCorr{#1}%
205   \fi
206 }
207 %\setlength\hvSet@bindCorrection{#1}% for doublepage objects
208
209 \define@boolkey{hvSet}[hv@]{subFloat}[true]{% typeset values as subfloats
210   \ifhv@subFloat\setkeys{hvSet}{multiFloat=false}\fi
211 }%
212 \define@boolkey{hvSet}[hv@]{multiFloat}[true]{% typeset values as continous floats
213   \ifhv@multiFloat\setkeys{hvSet}{subFloat=false}\fi
214 }%
215 \define@boolkey{hvSet}[hv@]{vFill}[true]{% \vfill between multifloat objects
216
217 \define@boolkey{hvSet}[hv@]{separatorLine}[true]{% separator line for caption of a full page float
218 \define@key{hvSet}{sepLineskip}{\def\hv@sepLineskip{#1}}%
219 \define@key{hvSet}{minTextlines}{\setlength\hv@minTextlines{#1\baselineskip}}%
220 \define@boolkey{hvSet}[hv@]{objectFrame}[true]{% a frame around the object with no separation
221 \define@key{hvSet}{style}{%
222   \@ifundefined{hv@#1}%
223   {\errmessage{Custom style `#1' undefined}}%
224   {\beginingroup
225     \edef\x{\endgroup\noexpand\setkeys{hvSet}{\@nameuse{hv@#1}}\x}% use a defined style
226   }
227 \define@key{hvSet}{capFormat}{\def\hv@caption@format{#1}}%
228 \define@key{hvSet}{subcapFormat}{\def\hv@subcaption@format{#1}}%
229 \define@boolkey{hvSet}[hv@]{forceOutput}[true]{%
230   \ifhv@forceOutput\hv@nonFloattrue\fi}% immediate output, no floating!
231
232 \def\hv@set#1{\beginingroup\edef\x{\endgroup\noexpand\setkeys{hvSet}{#1}}\x}
233 \let\hvFloatSet\hv@set
234 %
235 \def\defhvvstyle#1#2{\@namedef{hv@#1}{#2}}
236 \let\hvDefFloatStyle\defhvvstyle % better name
237 %
238 \newcommand\setDefaults{%
239   \hv@set{%
240     floatPos=, rotAngle=0, capWidth=n, capAngle=0, objectAngle=0,
241     capPos=bottom, capVPos=center, objectPos=center, capHPos=center,
242     floatCapSep=5pt, useOBox=false,
243     onlyText=false, wide=false, fullpage=false, FULLPAGE=false,
244     doubleFULLPAGE=false, doublePage=false, doublePAGE=false,
245     multiFloat=false, subFloat=false,
246     separatorLine, objectFrame=false, multiFloatSkip=\normalbaselineskip,
247     capFormat={}, subcapFormat={}, twoColumnCaption=false,
248     sameHeight=false,
249     bindCorr=\z@, sepLineskip=0pt,
250     vFill=false, minTextlines=2,
251     forceOutput=false, nonFloat=false,
252   }%
253 }
254
255 \let\hvFloatSetDefaults\setDefaults
256 \hvFloatSetDefaults% onyl for first loading of the package
257
258 \newcommand\hv@typeout[1]{\ifhv@Debug\typeout{>>> #1}\fi}
259

```

```

260 \providecommand\tugclass{\@empty}
261 \ifx\tugclass\@empty
262 \else
263 \hv@tugboattrue % special page handling
264 \hv@typeout{>>> we are using a TUGboat class}%
265 \fi
266
267 \newcommand\reset@special@float{%
268 \hv@set{subFloat=false,%fullpage=false,
269 multiFloat=false,%FULLPAGE=false
270 }}
271
272 \def\hv@vskip{\vspace{\hvMultiFloatSkip}}
273 %
274 \newlength\hvAboveCaptionSkip
275 \newlength\hvBelowCaptionSkip
276 \newlength\hv@dblftop
277 \newlength\hv@fptop
278 \newcount\hv@capPos
279
280 \newlength\fbboxlinewidth
281 \AtBeginDocument{%
282 \setlength\fbboxlinewidth{\dimexpr\linewidth-2\fbboxrule-2\fbboxsep}%
283 }
284 \setlength\belowcaptionskip{\abovecaptionskip}% it is in latex.ltx = 0pt
285 \newcommand\saveCaptionSkip{%
286 \setlength{\hvAboveCaptionSkip}{\abovecaptionskip}%
287 \setlength{\hvBelowCaptionSkip}{\belowcaptionskip}%
288 \setlength{\abovecaptionskip}{0pt}%
289 \setlength{\belowcaptionskip}{0pt}%
290 }
291 \newcommand\restoreCaptionSkip{%
292 \setlength\abovecaptionskip{\hvAboveCaptionSkip}%
293 \setlength\belowcaptionskip{\hvBelowCaptionSkip}%
294 }
295
296 \newcommand\hv@set@noverticalSpace{% no space on top for a float page
297 \let\hv@dblftop\@dblftop
298 \let\hv@fptop\@fptop
299 \global\setlength{\@dblftop}{0\p}%
300 \global\setlength{\@fptop}{0\p}%
301 }
302
303 \newcommand\hv@reset@noverticalSpace{%
304 \global\setlength{\@dblftop}{\hv@dblftop}%
305 \global\setlength{\@fptop}{\hv@fptop}%
306 }
307
308 \providecommand\figcaption[2][{}]{%
309 \providecommand\tabcaption[2][{}]{%
310 \providecommand\tabcaptionbelow[2][{}]{%
311 %
312 \renewcommand\figcaption[2][{}]{%
313 \begingroup
314 \def\@capytype{figure}%
315 \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
316 \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
317 \endgroup}
318 \renewcommand\tabcaption[2][{}]{%
319 \begingroup
320 \def\@capytype{table}%
321 \expandafter\captionsetup\expandafter{\hv@caption@format,position=top}%
322 \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
323 \endgroup}
324 \renewcommand\tabcaptionbelow[2][{}]{%
325 \begingroup
326 \def\@capytype{table}%

```

```

327 \expandafter\captionsetup\expandafter{\hv@caption@format,position=below}
328 \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
329 \endgroup}
330 %
331 \newlength\hv@maxImageWidth
332 \AtBeginDocument{\hv@maxImageWidth=\columnwidth}
333
334 \define@key{Gin}{columnWidth}[true]{%
335 \def\Gin@ewidth{\columnwidth}%
336 % \def\Gin@eheight{lex}%
337 \Gin@boolkey{true}{iso}%
338 }
339 \define@key{Gin}{fullpage}[true]{%
340 \def\Gin@ewidth{\columnwidth}%
341 \def\Gin@eheight{\textheight}%
342 \Gin@boolkey{false}{iso}%
343 }
344 \define@key{Gin}{FullPage}[true]{%
345 \def\Gin@ewidth{\textwidth}%
346 \def\Gin@eheight{\textheight}%
347 \Gin@boolkey{false}{iso}%
348 }
349 \define@key{Gin}{FULLPAGE}[true]{%
350 \def\Gin@ewidth{\paperwidth}%
351 \def\Gin@eheight{\paperheight}%
352 \Gin@boolkey{false}{iso}%
353 }
354 \define@key{Gin}{doubleFULLPAGE}[true]{%
355 \def\Gin@ewidth{2\paperwidth}%
356 \def\Gin@eheight{\paperheight}%
357 \Gin@boolkey{false}{iso}%
358 }
359 \define@key{Gin}{doublefullPage}[true]{%
360 \def\Gin@ewidth{\dimexpr2\paperwidth-2in-2\evensidemargin}%
361 % \def\Gin@eheight{\paperheight}%
362 \Gin@boolkey{true}{iso}%
363 }
364 \define@key{Gin}{doubleFULLPAGEbindCorr}[true]{%
365 \def\Gin@ewidth{\the\dimexpr2\paperwidth-2\hvSet@bindCorrection\relax}%
366 \def\Gin@eheight{\paperheight}%
367 \Gin@boolkey{false}{iso}%
368 }
369
370 \newcommand\IncludeGraphics[2][{}]{%
371 \vspace*{\the\dimexpr-1in-\voffset+\topskip-\headheight-0.5\baselineskip}%
372 \leavevmode\checkoddpage
373 \ifoddpage
374 \hspace*{\dimexpr-\oddsidemargin-\parindent-1in}%
375 \else
376 \hspace*{\dimexpr-\evensidemargin-\parindent-1in}%
377 \fi\noindent
378 \includegraphics[#1,width=\paperwidth,height=\paperheight,keepaspectratio=false]{#2}%
379 }
380
381 \newcommand\put@CaptionBox[1][0]{%
382 \ifcase#1
383 \ifhv@fbox
384 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
385 \else
386 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
387 \fi
388 \or
389 \ifhv@fbox
390 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
391 \else
392 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
393 \fi

```

```

394 \or
395 \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}\else\usebox{\hvCaptionBox}\fi
396 \fi
397 }
398
399 \newcommand\put@ObjectBox[1][0]{%
400 \ifcase#1
401 \ifhv@fbox
402 \fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
403 \else
404 \parbox{\wd\hvObjectBox}{\ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\usebox{\hvObjectBox}\fi}
405 \fi
406 \or
407 \ifhv@fbox
408 \fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
409 \else
410 \raisebox{-\height}{\ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\usebox{\hvObjectBox}\fi}%
411 \fi
412 \or
413 \ifhv@fbox
414 \fbbox{\usebox{\hvObjectBox}}%
415 \else
416 % rotated object with a depth need to raise up the \depth
417 \ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\raisebox{\depth}{\usebox{\hvObjectBox}}\fi%
418 \fi
419 \fi
420 }
421
422
423 \def\drawSepLine{%
424 \par\noindent
425 \if@twocolumn
426 \ifhv@twoColumnCaption
427 \rule{\linewidth}{0.4pt}\[-2.5ex]
428 \else
429 \rule{\columnwidth}{0.4pt}\[-2.5ex]
430 \fi
431 \else
432 \rule{\linewidth}{0.4pt}\[-2.5ex]
433 \fi
434 \vspace{\hv@sepLineskip}%
435 }
436
437 \newcounter{hv@tempCNTfigA}%
438 \newcounter{hv@tempCNTfigB}%
439 \newcounter{hv@tempCNTtabA}%
440 \newcounter{hv@tempCNTtabB}%
441 \newcounter{hv@pfigure}%
442 \newcounter{hv@ptable}%
443 \newcounter{subhv@pfigure}%
444 \newcounter{subhv@ptable}%
445
446 \newif\ifhv@star
447 \newif\if@hvsubstar
448 \setDefault
449
450
451 %\newcommand*{\hvFloat}[5][+]{%
452 % [#1]: keyvalues
453 % #2: type figure | table | ...
454 % #3: float contents
455 % [#4]: short caption
456 % #5: caption
457 % #6: label
458 %
459

```

```

460 \def\hvFloat{\@ifnextchar*%      Main macro
461 {\global\hv@starttrue\hv@maxImageWidth=\textwidth\hvFloat@i}%
462 {\global\hv@starfalse\hv@maxImageWidth=\columnwidth\hvFloat@i*}%
463 }
464
465
466 \def\hvFloat@i*{\@ifnextchar[{\do@hvFloat}{\do@hvFloat[]}}
467 \def\do@hvFloat[#1]{%
468   \beginingroup
469   \setlength\hvWideWidth{\dimexpr\columnwidth+\marginparwidth+\marginparsep}%
470   % \setlength\hvWideWidth{\dimexpr\textwidth+\marginparwidth+\marginparsep}%
471   % \setlength\hvWideWidth{\dimexpr\linewidth+\marginparwidth}%
472   \hv@maxImageWidth=\textwidth
473   \reset@special@float
474   \global\setcounter{hv@pfigure}{\value{figure}}%
475   \global\setcounter{hv@ptable}{\value{table}}%
476   \setcounter{hv@tempCNTfigA}{\value{figure}}%
477   \setcounter{hv@tempCNTfigB}{\value{figure}}%
478   \setcounter{hv@tempCNTtabA}{\value{table}}%
479   \setcounter{hv@tempCNTtabB}{\value{table}}%
480   \gdef\hv@save@setting[#1]% for later use after \endgroup inside figure/table env
481   \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
482   \ifx\hv@caption@format\@empty\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
483   \ifx\hv@subcaption@format\@empty\else
484     \expandafter
485     \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
486     {\hv@subcaption@format}%
487   \fi
488   \gdef\hv@floatType{figure}% presetting
489   \@ifnextchar+{\do@multiFloat}{\hvFloat@ii[#1]}%
490 }
491
492 \ExplSyntaxOn
493
494 \def\do@multiFloat+#1#2{%
495   \clist_set:Nn\l_clist_Type{#1}%
496   \clist_set:Nn\l_clist_Object{#2}%
497   \@ifnextchar[\do@multiFloat@i{\do@multiFloat@i[]}%
498 }
499 \def\do@multiFloat@i[#1]#2#3{% lof-caption, caption, label
500   \ifx\relax#1\relax
501     \clist_set:Nn\l_clist_LofCaption{}%
502   \else
503     \clist_set:Nn\l_clist_LofCaption{#1}%
504   \fi
505   \clist_set:Nn\l_clist_Caption{#2}%
506   \ifx\relax#3\relax
507     \clist_set:Nn\l_clist_Label{}%
508   \else
509     \clist_set:Nn\l_clist_Label{#3}%
510   \fi
511   \@ifnextchar+{\do@multiFloat@ii}{}%
512 }
513 \def\do@multiFloat@ii+#1#2{%
514   \clist_put_right:Nn\l_clist_Type{#1}%
515   \clist_put_right:Nn\l_clist_Object{#2}%
516   \@ifnextchar[\do@multiFloat@iii{\do@multiFloat@iii[]}%
517 }
518
519 \def\do@multiFloat@iii[#1]#2#3{% lof-caption, caption, label
520   \ifx\relax#1\relax
521     \clist_put_right:Nn\l_clist_LofCaption{}%
522   \else
523     \clist_put_right:Nn\l_clist_LofCaption{#1}%
524   \fi
525   \clist_put_right:Nn\l_clist_Caption{#2}%
526   \ifx\relax#3\relax

```

```

527 \clist_put_right:Nn\l_clist_Label{}}%
528 \else
529 \clist_put_right:Nn\l_clist_Label{#{3}}%
530 \fi
531 \@ifnextchar+\do@multiFloat@ii%
532 {\def\hvSet@CapWidth{n}%
533 \do@@@hvFloat}%
534 }
535 \ExplSyntaxOff
536
537
538 \newcount\hv@cmta
539 \newcount\hv@cmtb
540
541 \def\hvFloat@ii[#1]#2#3{% #1: key/value, #2: floattype, #3: object
542 \hv@maxImageWidth=\textwidth
543 % \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
544 \gdef\hv@floatType{#2}%
545 \ifx\relax#2\relax
546 \setkeys{hvSet}{nonFloat,onlyText}%
547 \xdef\hv@save@setting{\hv@save@setting,nonFloat,onlyText}% for later use after \endgroup inside
    figure/table env
548 \fi
549 % \xdef\hv@floatListOfExt{\@nameuse{ext@\hv@floatType}}%
550 \gdef\hv@floatObject{#3}%
551 \@ifnextchar[{\do@@hvFloat}{\do@@hvFloat[]}%
552 }
553
554 \def\do@@hvFloat[#1]#2#3{% #1: listof caption, #2. long caption #3: label
555 \gdef\hv@shortCap{#1}%
556 \gdef\hv@longCap{#2}%
557 \gdef\hv@label{#3}%
558 \ifhv@capbeside\def\@temp{1}\else\def\@temp{0}\fi
559 \ifhv@sameHeight\global\hv@global@sameHeighttrue\else\global\hv@global@sameHeightfalse\fi
560 \global\setlength\hvSet@bindCorrection{\hvSet@bindCorr}% for doublepage objects
561 \global\setlength\hv@floatCapSep{\hvSet@floatCapSep}%
562 %
563 \ifhv@fullpage
564 \def\hvSet@CapWidth{n}% relative value
565 \do@@@hvFloat% fullpage with caption on other page
566 \else
567 \ifhv@FULLPAGE
568 \def\hvSet@CapWidth{n}% relative value
569 \do@@@hvFloat% fullpage with caption on other page
570 \else
571 \ifhv@doubleFULLPAGE
572 \setlength\hvCapWidth{\textheight}%
573 \expandafter\do@hvFloat@doubleFULLPAGE\@temp% fullpage with caption rotated or under on an odd
    page
574 \else
575 \ifhv@doublePAGE
576 \expandafter\do@hvFloat@doublePAGE\@temp% fullpage with caption rotated or under on an odd
    page
577 \else
578 \ifhv@doublePage
579 \expandafter\do@hvFloat@doublePage\@temp% fullpage with caption rotated or under on an odd
    page
580 \else
581 \do@@@hvFloat
582 \fi
583 \fi
584 \fi
585 \fi
586 \fi
587 }
588 %
589 \def\do@@@hvFloat{% no special float page, caption and image on top of each other or side by side

```



```

590 \def\@tempa{90}%
591 \ifx\hvSet@rotAngle\@tempa
592 \setlength\hvMaxCapWidth{\textheight}%
593 \else
594 \setlength\hvMaxCapWidth{\hvWideWidth}%
595 \fi
596 %
597 % First we save the object in \hvObjectBox
598 %
599 \ifnum\hvSet@objectAngle=0 % rotate the object?
600 \ifhv@useOBox
601 \let\hvObjectBox\hvOBox
602 \else
603 \savebox\hvObjectBox{\hv@floatObject}%
604 \fi
605 \else
606 \savebox\hvObjectBox{%
607 \rotatebox{\hvSet@objectAngle}{%
608 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi
609 }%
610 }%
611 \fi
612 \setlength\hvObjectWidth{\wd\hvObjectBox}%
613 %
614 % Now we save the caption with its defined \hvCapWidth
615 %
616 \ifx\hvSet@capWidth\hv@Width% captionwidth=objectwidth
617 \setlength\hvCapWidth{\hvObjectWidth}%
618 \else
619 \ifx\hvSet@capWidth\hv@Height% captionwidth=objectheight
620 \setlength\hvCapWidth{\ht\hvObjectBox}%
621 \else
622 \ifx\hvSet@capWidth\hv@Natural% captionwidth=\linewidth-\objectwidth-separation
623 \ifhv@capbeside
624 \ifhv@wide
625 \setlength\hvCapWidth{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
626 \else
627 \ifhv@star
628 \setlength\hvCapWidth{\the\dimexpr\textwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
629 \else
630 \setlength\hvCapWidth{\the\dimexpr\linewidth-\hvObjectWidth-\hv@floatCapSep\relax}%
631 \fi
632 \fi
633 \else
634 \setlength\hvCapWidth{\columnwidth}%
635 \fi
636 \else
637 \ifhv@capbeside
638 \ifhv@wide
639 \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
640 \setlength\@tempdima{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
641 \else
642 \setlength\hvCapWidth{\hvSet@capWidth\columnwidth}%
643 \setlength\@tempdima{\the\dimexpr\columnwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
644 \fi
645 \ifdim\hvCapWidth>\@tempdima
646 \setlength\hvCapWidth{\@tempdima}%
647 \fi
648 \else
649 \ifhv@wide
650 \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
651 \else
652 \setlength\hvCapWidth{\hvSet@capWidth\columnwidth}%
653 \fi
654 \fi
655 \fi
656 \fi

```

```

657 \fi
658 \saveCaptionSkip% we put this space ourselve
659 \ifnum\hvSet@capAngle=0 % need rotation?
660 \savebox\hvCaptionBox{% NO rotation
661 \minipage[b]{\hvCapWidth}%% minipage, to get hyphenation
662 % \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
663 \ifhv@nonFloat
664 \ifhv@onlyText
665 \hv@longCap
666 \else
667 \ifx\hv@floatType\hv@figure
668 \ifx\relax\hv@shortCap\relax
669 \figcaption{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
670 \else
671 \figcaption[\hv@shortCap]{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
672 \fi
673 \else
674 \ifx\relax\hv@shortCap\relax
675 \tabcaption{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
676 \else
677 \tabcaption[\hv@shortCap]{\hv@longCap\ifx\hv@label\empty\else\label{\hv@label}\fi}%
678 \fi
679 \fi
680 \fi
681 \else
682 \ifhv@onlyText
683 \hv@longCap
684 \else
685 \let\@captype\hv@floatType
686 \ifx\hv@shortCap\empty\caption{\hv@longCap}\else\caption[\hv@shortCap]{\hv@longCap}\fi
687 \ifx\hv@label\empty\else\label{\hv@label}\fi
688 \fi
689 \fi
690 \endminipage
691 }%
692 \else
693 \savebox\hvCaptionBox{% Rotation
694 \rotatebox{\hvSet@capAngle}{%
695 \minipage[b]{\hvCapWidth}%% minipage, to get hyphenation
696 % \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
697 \ifhv@nonFloat
698 \ifhv@onlyText
699 \hv@longCap
700 \else
701 \ifx\hv@floatType\hv@figure
702 \ifx\hv@shortCap\empty \figcaption{\hv@longCap}\else\figcaption[\hv@shortCap]{\hv@longCap}\fi
703 \else
704 \ifx\hv@shortCap\empty \tabcaption{\hv@longCap}\else\tabcaption[\hv@shortCap]{\hv@longCap}\fi
705 \fi
706 \fi
707 \else
708 \ifhv@onlyText
709 \hv@longCap
710 \else
711 \let\@captype\hv@floatType
712 \ifx\hv@shortCap\empty \caption{\hv@longCap}\else\caption[\hv@shortCap]{\hv@longCap}%
713 \fi
714 \fi
715 \fi
716 \ifx\hv@label\empty\else\label{\hv@label}\fi
717 \endminipage
718 }% \rotatebox
719 }% \sbox
720 \fi
721 %
722 % now we have the object and the caption with the right
723 % rotated angles saved in different boxes

```

```

724 %%
725 \restoreCaptionSkip% save old values
726 % \def\fps@figure{\hvSet@floatPos}%
727 \ifx\hvSet@floatPos\empty % use type default
728 \else
729 \namedef{\fps@\hv@floatType}{\hvSet@floatPos}%
730 \fi
731 \ifhv@nonFloat
732 \noindent
733 \beginingroup% Start the nonfloat part
734 \else
735 \ifhv@star
736 \ifx\hvSet@floatPos\hv@floatBottom
737 \nameuse{\hv@floatType*}[b]% Start the floating environment *****
738 \else
739 \nameuse{\hv@floatType*}%
740 \fi
741 \else
742 \begin{\hv@floatType}% Start the floating environment
743 \fi
744 \fi
745 \checkoddpages
746 \ifx\hvSet@objectPos\hv@Right\raggedleft\fi
747 \ifx\hvSet@objectPos\hv@Center
748 \ifhv@nonFloat\hspace*{\fill}\else\centering\fi
749 \fi
750 \ifx\hvSet@objectPos\hv@Outer
751 \ifoddpages\raggedleft\fi
752 \fi
753 \ifx\hvSet@objectPos\hv@Inner
754 \ifoddpages\else\raggedleft\fi
755 \fi
756 %
757 % to rotate object and caption together, we save all in another box
758 % the caption comes first, if its on the left or the top
759 % 0 caption left, inner and odd page, oneside inner
760 % 1 caption top
761 % 2 caption right, inner and even page, oneside outer
762 % 3 caption bottom
763 %
764 \ifx\hvSet@capPos\hv@Left
765 \hv@@capPos=0
766 \else
767 \ifx\hvSet@capPos\hv@Top
768 \hv@@capPos=1
769 \else
770 \ifx\hvSet@capPos\hv@Right
771 \hv@@capPos=2
772 \else
773 \ifx\hvSet@capPos\hv@Bottom
774 \hv@@capPos=3
775 \else
776 \ifx\hvSet@capPos\hv@Inner
777 \ifoddpagesoroneside\hv@@capPos=0\else\hv@@capPos=2\fi
778 \else
779 \ifx\hvSet@capPos\hv@Outer
780 \ifoddpagesoroneside\hv@@capPos=2\else\hv@@capPos=0\fi
781 % even page (left=0) | odd page (oneside) (right=2)
782 \else
783 \ifx\hvSet@capPos\hv@Before
784 \hv@@capPos=0% same as capPos=right
785 \else
786 \ifx\hvSet@capPos\hv@After
787 \hv@@capPos=2% same as capPos=right
788 \fi
789 \fi
790 \fi

```

```

791     \fi
792   \fi
793   \fi
794   \fi
795   \fi
796   %%%
797   %\typeout{>>>>>>>Pos: \the\hv@capPos}%
798   \savebox{\@tempboxa}{%
799     \expandafter\ifcase\the\hv@capPos% 0 is LEFT      START \ifcase
800     \ifx\hvSet@capVPos\hv@Center
801       \put@CaptionBox
802       \hspace{\hv@floatCapSep}% capfloatsep
803       \put@ObjectBox
804     \else
805       \ifx\hvSet@capVPos\hv@Top% caption and object at top aligned
806         \put@CaptionBox[1]%
807         \hspace{\hv@floatCapSep}% capfloatsep
808         \put@ObjectBox[1]%
809       \else% caption on bottom
810         \put@CaptionBox[2]%
811         \hspace{\hv@floatCapSep}% capfloatsep
812         \put@ObjectBox[2]%
813       \fi
814     \fi% end caption left
815     \or%1 is top
816     \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
817     \begin{minipage}{\wd\hvCaptionBox}%
818       \else
819     \begin{minipage}{\wd\hvObjectBox}%
820       \fi
821       \ifx\hvSet@capHPos\hv@Left% horizontal justification
822         \raggedright
823       \else
824         \ifx\hvSet@capHPos\hv@Center
825           \centering
826         \else
827           \raggedleft
828         \fi
829       \fi
830       \ifhv@fbox
831       \fbox{\usebox{\hvCaptionBox}}\[\[0.5\hvBelowCaptionSkip]%
832       \fbox{\usebox{\hvObjectBox}}%
833       \else
834       \usebox{\hvCaptionBox}\[\[0.5\hvBelowCaptionSkip]%
835       \usebox{\hvObjectBox}%
836       \fi
837     \end{minipage}%
838     \or%2 is right
839     \ifx\hvSet@capVPos\hv@Center
840       \put@ObjectBox
841     \hspace{\hv@floatCapSep}%
842     \put@CaptionBox
843     \else
844     \ifx\hvSet@capVPos\hv@Top
845       \put@ObjectBox[1]%
846       \hspace{\hv@floatCapSep}% capfloatsep
847       \put@CaptionBox[1]%
848     \else
849       \put@ObjectBox[2]%
850       \hspace{\hv@floatCapSep}% capfloatsep
851       \put@CaptionBox[2]%
852     \fi
853     \fi
854     \or%3 bottom
855     \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
856     \begin{minipage}{\wd\hvCaptionBox}%
857     \else

```

```

858 \begin{minipage}{\wd\hvObjectBox}%
859 \fi
860 \ifx\hvSet@capHPos\hv@Left% horizontal justification
861 \raggedright
862 \else
863 \ifx\hvSet@capHPos\hv@Center
864 \centering
865 \else
866 \raggedleft
867 \fi
868 \fi
869 \ifhv@fbox
870 \fbox{\usebox{\hvObjectBox}}\[\[0.5\hvAboveCaptionSkip]%
871 \fbox{\usebox{\hvCaptionBox}}%
872 \else
873 \ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\usebox{\hvObjectBox}\fi\[\[0.5\
874 \hvAboveCaptionSkip]%
875 \usebox{\hvCaptionBox}%
876 \fi
877 \end{minipage}%
878 \fi% \ifcase\the\hv@capPos
879 }% End savebox Object and caption %%%%%%%%%%%%% @tempboxa
880 %
881 % now we rotate the object and caption, if needed
882 %
883 \ifhv@wide
884 \ifoddpageoroneside
885 \if@twocolumn
886 \if@firstcolumn
887 \noindent
888 \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column
889 \fi
890 \fi
891 \else
892 \ifoddpage
893 \if@twocolumn
894 \if@firstcolumn
895 \noindent
896 \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column
897 \fi
898 \fi
899 \else% evenpage
900 \if@firstcolumn
901 \noindent
902 \hspace*{\dimexpr-\marginparwidth-\marginparsep}% <- for wide and left page
903 \fi
904 \fi
905 \fi
906 \ifx\hvSet@rotAngle\hv@Zero
907 \usebox{\@tempboxa}%
908 \else
909 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}%
910 \fi
911 \ifhv@nonFloat
912 \ifx\hvSet@objectPos\hv@Center
913 % \ifhv@nonFloat
914 \hspace{\fill}%
915 % \fi
916 \fi
917 \endgroup% End the nonfloat part
918 \else
919 \ifhv@star
920 \@nameuse{end\hv@floatType}% End the floating environment
921 \else
922 \end{\hv@floatType}% End the floating environment
923 \fi

```

```

924 \fi
925 \endgroup% startet at main \hvFloat
926 }
927 %
928 \newenvironment{hvFloatEnv}[1][\textwidth]
929 {\minipage{#1}}
930 {\endminipage}
931 %
932
933 \ExplSyntaxOn
934 \let\clist@item@Nn\clist_item:Nn
935 \let\l@clist@Type\l_clist_Type
936 \let\l@clist@LofCaption\l_clist_LofCaption
937 \let\l@clist@Label\l_clist_Label
938 \let\clist@count@N\clist_count:N
939 \ExplSyntaxOff
940
941 \def\do@@@hvFloat{% special float page: caption <-> fullpage images
942 \ifx\hvSet@capPos\hv@After \global\hv@capPos=1
943 \else
944 \ifx\hvSet@capPos\hv@Even \global\hv@capPos=2
945 \else
946 \ifx\hvSet@capPos\hv@Odd \global\hv@capPos=3
947 \else
948 \ifx\hvSet@capPos\hv@Inner \global\hv@capPos=4
949 \else
950 \ifx\hvSet@capPos\hv@Outer \global\hv@capPos=5
951 \else
952 \ifx\hvSet@capPos\hv@Right \global\hv@capPos=6% only for twocolumn mode
953 \else
954 \ifx\hvSet@capPos\hv@Left \global\hv@capPos=7% only for twocolumn mode
955 \else
956 \global\hv@capPos=0
957 \fi
958 \fi
959 \fi
960 \fi
961 \fi
962 \fi
963 \fi
964 \checkoddpage
965 \set@caption@object{\hv@floatType}% set caption and object into a box
966 \ifcase\hv@capPos% caption before object 0-> _always_ left
967 \setBottomCaption\setPageObject
968 \or% caption after object 1-> _always_ right
969 \setPageObject\setBottomCaption
970 \or% caption on even page 2-> left page
971 \ifoddpage
972 \afterpage{\setBottomCaption\setPageObject}%
973 \else% we are on an even page
974 \setBottomCaption\setPageObject
975 \fi
976 \or% caption on odd page 3->right page
977 \if@twoside
978 \if@twocolumn
979 \ifoddpage
980 \if@firstcolumn% on right side
981 \setBottomCaption\setPageObject
982 \else
983 \afterpage{\setPageObject\setBottomCaption}% start next column
984 \fi
985 \else% left (even) page
986 \if@firstcolumn
987 \afterpage{\setPageObject\setBottomCaption}% start next column
988 \else
989 \setPageObject\setBottomCaption
990 \fi

```

```

991 \fi
992 \else% onecolumn
993 \ifoddpage
994 \setPageObject\setBottomCaption
995 \else% even page
996 \afterpage{\setPageObject\setBottomCaption}%
997 \fi
998 \fi
999 \else% oneside
1000 \if@twocolumn
1001 \ifoddpage
1002 \if@firstcolumn% on right side
1003 \setBottomCaption\setPageObject
1004 \else
1005 \setPageObject\setBottomCaption
1006 \fi
1007 \else
1008 \if@firstcolumn% on left side
1009 \afterpage{\setPageObject\setBottomCaption}%
1010 \else
1011 \setPageObject\setBottomCaption
1012 \fi
1013 \fi
1014 \else % onecolumn
1015 \ifoddpage
1016 \setBottomCaption\setPageObject
1017 \else
1018 \afterpage{\setBottomCaption\setPageObject}%
1019 \fi
1020 \fi
1021 \fi
1022 \or% caption on the inner column 4->inner
1023 % \set@caption@object
1024 \if@twocolumn
1025 \ifoddpage
1026 \if@firstcolumn% on right side
1027 \setBottomCaption\setPageObject
1028 \else % right column on right side
1029 \setPageObject\setBottomCaption% start next firstcolumn next page
1030 \fi
1031 \else
1032 \if@firstcolumn% on left side
1033 \afterpage{\afterpage{\setBottomCaption\setPageObject}}% start next page/first column
1034 \else% left page/column
1035 \setBottomCaption\setPageObject% start on same page/column
1036 \fi
1037 \fi
1038 \else% onecolumn
1039 \setBottomCaption\setPageObject
1040 \fi
1041 \or% caption on the outer column 5->outer
1042 % \set@caption@object
1043 \if@twocolumn
1044 \ifoddpage
1045 \if@firstcolumn
1046 \afterpage{\afterpage{\setBottomCaption\setPageObject}}%
1047 \else
1048 \afterpage{\setBottomCaption\setPageObject}%
1049 \fi
1050 \else% even page (left)
1051 \if@firstcolumn
1052 \setBottomCaption\setPageObject
1053 \else
1054 %%% !!!! to-do: !!!!
1055 \fi
1056 \fi
1057 \else% onecolumn

```



```

1058 \setBottomCaption\setPageObject
1059 \fi
1060 \or% caption after object on same page 6->right for twocolumn
1061 \if@twocolumn
1062 \if@firstcolumn
1063 \afterpage{\setPageObject\setBottomCaption}%
1064 \else
1065 \setPageObject\setBottomCaption
1066 \fi
1067 \else% always caption _after_ object for onecolumn
1068 \setPageObject\setBottomCaption
1069 \fi
1070 \or% caption before object on same page 7->left for twocolumn
1071 \if@twocolumn
1072 \if@firstcolumn
1073 \setBottomCaption\setPageObject
1074 \else
1075 \afterpage{\setBottomCaption\setPageObject}%
1076 \fi
1077 \else% onecolumn -> same as before
1078 \setBottomCaption\setPageObject
1079 \fi
1080 \fi
1081 \endgroup% startet at main \hvFloat
1082 }
1083 %
1084
1085
1086 %% ----- the doublepage obejcts -----
1087 %% ||lin+evenside --- |lin+oddside ---||
1088 %
1089 \def\do@hvFloat@doublePage#1{% image on left and right page with caption on the right page
1090 % #1-> 0/1 caption under/right
1091 \global\setlength\hv@leftPageObjectWidth{\dimexpr\paperwidth-\lin-\evensidemargin-\hvSet@bindCorrection}%
1092 \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%
1093 \xdef\hv@caption@format@temp{\hv@caption@format}% it gets lost otherwise for next afterpage
1094 \setlength\@dblfpbot{0\p@ \@plus 1fil}%
1095 \global\hv@switchTypefalse
1096 \setcounter{hv@tempCNTfigA}{\value{figure}}%
1097 \setcounter{hv@tempCNTfigB}{\value{figure}}%
1098 \setcounter{hv@tempCNTtabA}{\value{table}}%
1099 \setcounter{hv@tempCNTtabB}{\value{table}}%
1100 \savebox\hvCaptionBox{% NO rotation
1101 \minipage{\textwidth}%% minipage, to get hyphenation
1102 \let\@capttype\hv@floatType
1103 \caption*{\hv@longCap}%
1104 \endminipage}%
1105 \savebox\hvObjectBox{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1106 \ifnum#1=0\relax % no rotation, caption below
1107 \hv@typeout{Texthöhe: \the\textheight}%
1108 \hv@typeout{Objekthöhe: \the\ht\hvObjectBox}%
1109 \hv@typeout{Captionhöhe: \the\ht\hvCaptionBox}%
1110 \@tempdima=\dimexpr\ht\hvObjectBox+\ht\hvCaptionBox+\abovecaptionskip+\belowcaptionskip+\textfloatsep
1111 \relax+|floatsep\relax
1112 \hv@typeout{Summe: \the\@tempdima}%
1113 \ifdim\@tempdima > \dimexpr\textheight-\hv@minTextlines\relax
1114 \hv@typeout{hvfloat: switched to floattype p}%
1115 \hv@switchTypetrue
1116 \fi
1117 \fi
1118 \hv@typeout{\do@hvFloat@doublePage: hv@tempWidthA=\the\hv@tempWidthA}%
1119 \ifhv@forceOutput
1120 \do@hvFloat@doublePAGECaptionRight{#1}% no cheque
1121 \else
1122 \checkoddpaper
1123 \ifoddpaper
1124 \if@twocolumn

```

```

1124 \if@firstcolumn
1125 \ifhv@switchType
1126 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1127 \else
1128 \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1129 \fi
1130 \else
1131 \ifhv@tugboat
1132 \do@hvFloat@doublePageCaptionRight{#1}%
1133 \else
1134 \ifhv@switchType
1135 \do@hvFloat@doublePAGECaptionRight{#1}%
1136 \else
1137 \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1138 \fi
1139 \fi
1140 \fi
1141 \else
1142 \ifhv@switchType
1143 \do@hvFloat@doublePAGECaptionRight{#1}%
1144 \else
1145 \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1146 \fi
1147 \fi
1148 \else% we have an even page
1149 \if@twocolumn
1150 \if@firstcolumn
1151 \ifhv@switchType
1152 \afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1153 \else
1154 \afterpage{\afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}}%
1155 \fi
1156 \else% second column
1157 \ifhv@switchType
1158 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1159 \else
1160 \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1161 \fi
1162 \fi
1163 \else% onecolumn
1164 \ifhv@switchType
1165 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1166 \else
1167 \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1168 \fi
1169 \fi
1170 \fi
1171 \let\c@fptop\hv@fptop
1172 \fi
1173 \endgroup% started at main macro \hvFloat
1174 }
1175 %
1176 \def\do@hvFloat@doublePageCaptionRight#1{% image on left and right page with caption on the right page
1177 -----
1178 \do@hvFloat@doublePageCaptionRightObjectLeft{0pt}%
1179 \afterpage{\do@hvFloat@doublePageCaptionRightObjectRight{#1}}%
1180 }
1181 %
1182 \def\do@hvFloat@doublePageCaptionRightObjectLeft#1{% left part of the object
1183 \begin{\hv@floatType*}[!t]
1184 \hv@set@noverticalSpace
1185 \hfuzz=\maxdimen
1186 \let\c@hv@tempCNTfigA\c@figure
1187 \let\c@hv@tempCNTtabA\c@table
1188 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1189 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1190 \hv@typeout{Floatpositionsparameter: !t}%

```

```

1190 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1191 \clipbox*{0 -\depth}{\hv@leftPageObjectWidth}{\height}{\usebox{\hvObjectBox}%
1192 \ifx\hv@label\@empty
1193 \else
1194 \ifx\hv@floatType\hv@figure
1195 \global\refstepcounter{hv@tempCNTfigA}%
1196 \else
1197 \global\refstepcounter{hv@tempCNTtabA}% before caption
1198 \fi
1199 \label{\hv@label}%
1200 \fi
1201 \ifhv@global@sameHeight
1202 \hv@typeout{text should be of same height of both pages}%
1203 \par\noindent\phantom{\parbox{\textwidth}{\caption*{\hv@longCap}}}%
1204 % \vspace{-2pt}%
1205 \fi
1206 \hv@reset@noverticalSpace
1207 \end{\hv@floatType*}%
1208 }
1209 \def\do@hvFloat@doublePageCaptionRightObjectRight#1{% right part of the object
1210 \begin{\hv@floatType*}[!t]
1211 \hv@set@noverticalSpace
1212 \hfuzz=\maxdimen
1213 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1214 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1215 \global\setlength{\hv@tempWidthA}{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}% FÜR DTK
1216 \hspace*{-\hv@tempWidthA}%
1217 \global\setlength{\hv@leftPageObjectWidth}{\the\dimexpr\paperwidth-lin-\evensidemargin-\
1218 \hvSet@bindCorrection}% FÜR FTK
1219 \savebox{\hv@rightBox}{\clipbox*{\hv@leftPageObjectWidth}{-\depth}{\width}{\height}{\usebox{\
1220 \hvObjectBox}}}%
1221 \global\setlength{\hv@tempWidthB}{\dimexpr\textwidth-\wd\hv@rightBox-\hvSet@bindCorrection+lin+\
1222 \oddsidemargin-\hv@floatCapSep\relax}%
1223 \hv@typeout{Height of right box: \the\ht\hv@rightBox}%
1224 \hv@typeout{Depth of right box : \the\dp\hv@rightBox}%
1225 \ifdim\dp\hv@rightBox > \z@
1226 \raisebox{\depth}{\usebox{\hv@rightBox}}%
1227 \else
1228 \usebox{\hv@rightBox}
1229 \fi
1230 \c@hv@tempCNTfigB=\numexpr\c@figure-1\relax
1231 \c@hv@tempCNTtabB=\numexpr\c@table-1\relax
1232 \ifx\hv@label\@empty\else
1233 \ifx\hv@floatType\hv@figure
1234 \refstepcounter{hv@tempCNTfigB}%
1235 \else
1236 \refstepcounter{hv@tempCNTtabB}% before caption
1237 \fi
1238 \label{\hv@label-2}%
1239 \fi
1240 \ifx\hv@caption@format@temp\@empty\else
1241 \expandafter\captionsetup\expandafter{\hv@caption@format@temp}%
1242 \fi
1243 \c@figure=\numexpr\c@hv@tempCNTfigB-1\relax
1244 \c@table=\numexpr\c@hv@tempCNTtabB-1\relax
1245 \ifnum#1>\z@ % caption on the right
1246 \hv@typeout{doublePage: capAngle=\hvSet@capAngle}%
1247 \ifnum\hvSet@capAngle > \z@
1248 \hspace{\hv@floatCapSep}%
1249 \rlap{\rotatebox{\hvSet@capAngle}{\parbox[b]{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{%
1250 \abovecaptionskip=0pt% local inside parbox
1251 \belowcaptionskip=0pt% local inside parbox
1252 \ifx\relax\hv@shortCap\relax
1253 \caption{\hv@longCap}%
1254 \else
1255 \caption[\hv@shortCap]{\hv@longCap}%
1256 \fi

```

```

1254     }}}%
1255     \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1256   \else
1257     \global\setlength\hv@tempWidthB{\dimexpr\textwidth-\wd\hv@rightBox-\hvSet@bindCorrection+lin+\
1258       oddsidemargin-\hv@floatCapSep\relax}%
1259     \hspace{\hv@floatCapSep}%
1260     \rlap{\parbox[b]{\dimexpr\ht\hv@rightBox+\dp\hv@rightBox}{\hv@capVPos}{\hv@tempWidthB}{%
1261       \abovecaptionskip=0pt% local inside parbox
1262       \belowcaptionskip=0pt% local inside parbox
1263       \ifx\hv@shortCap\@empty
1264         \caption{\hv@longCap}%
1265       \else
1266         \caption[\hv@shortCap]{\hv@longCap}%
1267       \fi
1268     }}}%
1269     \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1270   \fi
1271   \else % #1 = 0 caption below
1272     \ifx\relax\hv@shortCap\relax
1273       \caption{\hv@longCap}%
1274     \else
1275       \caption[\hv@shortCap]{\hv@longCap}%
1276     \fi
1277     \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1278   \fi
1279   \vspace{0pt}%
1280   \hv@reset@noverticalSpace
1281 \end{\hv@floatType*}
1282 %
1283 \newsavebox\hv@boxLeftPage
1284 \newsavebox\hv@boxRightPage
1285 %
1286 %% ||lin+evenside --- |lin+oddside ---||
1287 %
1288
1289 \def\do@hvFloat@doublePAGE#1{% image on left and right page with caption on the right
1290   -----
1291   % #1-> 0/1 caption under/right
1292   % \global\setlength\hv@tempWidthA{\the\dimexprlin+oddsidemargin-\hvSet@bindCorrection}%
1293   % \global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\
1294     hvSet@bindCorrection}%
1295   \expandafter\global\expandafter\savebox\expandafter\hvObjectBox\expandafter{\ifhv@use0Box\usebox{\hv0Box
1296     } \else\hv@floatObject\fi}%
1297   \expandafter\global\expandafter\savebox\expandafter\hv@boxLeftPage\expandafter{\clipbox*{0 -\depth} \
1298     hv@leftPageObjectWidth{ } \height}{\usebox\hvObjectBox}}%
1299   \expandafter\global\expandafter\savebox\expandafter\hv@boxRightPage\expandafter{\clipbox*{\
1300     hv@leftPageObjectWidth{ } -\depth{ } \width{ } \height}{\usebox\hvObjectBox}}%
1301   \checkoddpage
1302   \ifoddpage
1303     \if@twocolumn
1304       \if@firstcolumn
1305         \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1306       \else
1307         \do@hvFloat@doublePAGECaptionRight{#1}%
1308       \fi
1309     \else
1310       \do@hvFloat@doublePAGECaptionRight{#1}%
1311     \fi
1312   \if@twocolumn
1313     \if@firstcolumn
1314       \afterpage{\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}}%
1315     \else
1316       \afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1317     \fi
1318   \else

```

```

1315 \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}% onecolumn/left page
1316 \fi
1317 \fi
1318 \endgroup% startet at main macro
1319 }
1320 %
1321 \def\do@hvFloat@doublePAGECaptionRight#1{% image on left and right page with caption on the right
-----
1322 % #1-> 0/1 caption under/right
1323 \afterpage{%
1324 \hfuzz=\maxdimen
1325 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1326 \ifhv@useOBox
1327 \global\let\hvObjectBox\hvOBox
1328 \else
1329 \global\savebox\hvObjectBox{\hv@floatObject}%
1330 \fi
1331 \noindent
1332 \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%
1333 \global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\hvSet@bindCorrection}%
1334 \clipbox*{0 -\depth{} \hv@leftPageObjectWidth{} \height{}\usebox\hvObjectBox}%
1335 \null\newpage\if@twocolumn\null\newpage\fi
1336 \expandafter\global\expandafter\savebox\expandafter\hvObjectBox\expandafter{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1337 \noindent
1338 \hspace*{\dimexpr-\hv@tempWidthA}%
1339 \clipbox*{\the\hv@leftPageObjectWidth{} -\depth{} \width{} \height{}\usebox\hvObjectBox}%
1340 \beginngroup
1341 \ifnum#1>0
1342 \medskip
1343 \ifdim\dp\hvObjectBox > \z@
1344 \rotatebox[origin=c]{90}{\parbox{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{%
1345 \ifx\relax\hv@shortCap\relax
1346 \captionof{\hv@floatType}{\hv@longCap}%
1347 \else
1348 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1349 \fi
1350 }}%
1351 \ifx\hv@label\@empty\else\label{\hv@label}\fi
1352 \else
1353 \rotatebox{90}{\parbox{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{%
1354 \ifx\relax\hv@shortCap\relax
1355 \captionof{\hv@floatType}{\hv@longCap}%
1356 \else
1357 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1358 \fi
1359 }}%
1360 \ifx\hv@label\@empty\else\label{\hv@label}\fi
1361 \fi
1362 \else% caption not rotated
1363 \par\noindent
1364 \parbox{\textwidth}{%
1365 \ifx\relax\hv@shortCap\relax
1366 \captionof{\hv@floatType}{\hv@longCap}%
1367 \else
1368 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1369 \fi
1370 \ifx\hv@label\@empty\else\label{\hv@label}\fi
1371 }%
1372 \fi
1373 \endgroup
1374 \newpage\if@twocolumn\null\newpage\fi
1375 }%
1376 }
1377 %
1378 %% ||lin+evenside --- |lin+oddside --- ||

```

```

1379 %
1380 \def\do@hvFloat@doubleFULLPAGE#1{% image on left and right page with caption before/below/right/after
1381 % #1-> 0/1 caption under/right
1382 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1383 \ifx\hvSet@capPos\hv@After \global\hv@capPos=1
1384 \else
1385 \ifx\hvSet@capPos\hv@Before \global\hv@capPos=0
1386 \else
1387 \global\hv@capPos=2 % other caption type
1388 \fi\fi
1389 \checkoddpag
1390 \global\savebox{\hvObjectBox}{\ifhv@useObject\usebox{\hvObjectBox}\else\hv@floatObject\fi}%
1391 \global\setlength\hv@tempWidthA{\dimexpr-\oddsidemargin-\lin-\parindent+\hvSet@bindCorrection}% the
1392 width of the right side offset
1393 \global\setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}%
1394 \global\setlength\hv@leftPageObjectWidth{\dimexpr\paperwidth-\hvSet@bindCorrection}%
1395 % \savebox\hv@leftBox{\clipbox*{0 0 \the\hv@leftPageObjectWidth\} \height}{\usebox\hvObjectBox}}%
1396 % \savebox\hv@rightBox{\clipbox*{\the\hv@leftPageObjectWidth\} \depth\} \width\} \height}{\usebox\hvObjectBox}}%
1397 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1398 \ifoddpag
1399 \hv@typeout{do@hvFloat@doubleFULLPAGE: ifoddpag=true}%
1400 \ifcase\hv@capPos % =0 Caption before
1401 \hv@typeout{do@hvFloat@doubleFULLPAGE: caption before}%
1402 \if@twocolumn
1403 \hv@typeout{do@hvFloat@doubleFULLPAGE: twocolumn=true}%
1404 \if@firstcolumn
1405 \hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=true}%
1406 \ifhv@twoColumnCaption
1407 \hv@typeout{do@hvFloat@doubleFULLPAGE: twoColumnCaption=true}%
1408 \set@Normal@Bottom@Caption*
1409 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1410 \else
1411 \afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1412 \fi
1413 \else% \if@firstcolumn
1414 \set@Normal@Bottom@Caption
1415 \do@hvFloat@doubleFULLPAGE@CaptionBefore
1416 \fi
1417 \else% \if@twocolumn
1418 \set@Normal@Bottom@Caption
1419 \do@hvFloat@doubleFULLPAGE@CaptionBefore
1420 \fi
1421 \or % =1 Caption after
1422 \hv@typeout{do@hvFloat@doubleFULLPAGE: caption after}%
1423 \ifhv@twoColumnCaption
1424 \hv@typeout{do@hvFloat@doubleFULLPAGE: twoColumnCaption=true}%
1425 \if@firstcolumn
1426 \hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=true}%
1427 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol}%
1428 \else
1429 \hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=false}%
1430 \do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol
1431 \fi
1432 \else
1433 \if@twocolumn
1434 \if@firstcolumn
1435 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1436 \else
1437 \do@hvFloat@doubleFULLPAGE@CaptionAfter
1438 \fi
1439 \else
1440 \do@hvFloat@doubleFULLPAGE@CaptionAfter
1441 \fi
1442 \else% \ifcase >1 all other Captions
1443 \if@twocolumn

```

```

1444 \if@firstcolumn
1445 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1446 \else
1447 \do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1448 \fi
1449 \else % \if@twocolumn
1450 \do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1451 \fi
1452 \fi% \ifcase
1453 \else% we have an even page
1454 \ifcase\hv@capPos% Before
1455 \if@twocolumn
1456 \if@firstcolumn
1457 \ifhv@twoColumnCaption
1458 \afterpage{\afterpage{\set@Normal@Bottom@Caption*\afterpage{\
do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1459 \else
1460 \afterpage{\afterpage{\afterpage{\set@Normal@Bottom@Caption\
do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1461 \fi
1462 \else
1463 \afterpage{\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1464 \fi
1465 \else% \if@twocolumn
1466 \afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1467 \fi
1468 \or % capPos after
1469 \if@twocolumn
1470 \if@firstcolumn
1471 \ifhv@twoColumnCaption
1472 \afterpage{\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1473 \else
1474 \afterpage{\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1475 \fi
1476 \else
1477 \ifhv@twoColumnCaption
1478 \afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1479 \else
1480 \afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1481 \fi
1482 \fi
1483 \else% \if@twocolumn
1484 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1485 \fi
1486 \else % \ifcase Any other caption
1487 \if@twocolumn
1488 \if@firstcolumn
1489 \afterpage{\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
1490 \else
1491 \afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
1492 \fi
1493 \else
1494 \afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1495 \fi
1496 \fi% \ifcase
1497 \fi% main ifoddpage
1498 \endgroup% started at main macro \hvFloat
1499 }
1500
1501 \def\set@Normal@Bottom@Caption{\@ifnextchar*\set@Normal@Bottom@CaptionStar\set@Normal@Bottom@Caption@}
1502 \def\set@Normal@Bottom@Caption@{%
1503 \begin{\hv@floatType}[!b]
1504 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1505 \ifhv@separatorLine\drawSepLine\fi
1506 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1507 \ifhv@onlyText
1508 \hv@longCap

```



```

1509 \else
1510 \ifx\hv@shortCap\@empty
1511 \captionof{\hv@floatType}{\hv@longCap}%
1512 \else
1513 \captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1514 \fi
1515 \fi
1516 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1517 \end{\hv@floatType}%
1518 }
1519 \def\set@Normal@Bottom@CaptionStar*{%
1520 \begin{\hv@floatType*}[!b]
1521 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1522 \ifhv@separatorLine\drawSepLine\fi
1523 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1524 \ifhv@onlyText
1525 \hv@longCap
1526 \else
1527 \ifx\hv@shortCap\@empty
1528 \captionof{\hv@floatType}{\hv@longCap}%
1529 \else
1530 \captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1531 \fi
1532 \fi
1533 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1534 \end{\hv@floatType*}%
1535 }
1536
1537 \def\do@hvFloat@doubleFULLPAGE@CaptionBefore{%
1538 \afterpage{%
1539 \hfuzz=\maxdimen
1540 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1541 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
1542 }% no interlineskip
1543 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1544 \thispagestyle{empty}%
1545 \ifx\hv@floatType\hv@figure
1546 \global\refstepcounter{hv@tempCNTfigB}%
1547 \else
1548 \global\refstepcounter{hv@tempCNTtabB}% before caption
1549 \fi
1550 \expandafter\label\expandafter{\hv@label}%
1551 \clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox{\hvObjectBox}%
1552 \afterpage{%
1553 \if@twocolumn\newpage\null\newpage\fi
1554 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1555 \thispagestyle{empty}%
1556 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
1557 lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox
1558 \hspace*{\hv@tempWidthA}%
1559 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1560 \clipbox*{\the\hv@leftPageObjectWidth{} \dp\hvObjectBox{} \wd\hvObjectBox{} \ht\hvObjectBox}{\usebox
1561 \hvObjectBox}%
1562 \ifx\hv@floatType\hv@figure
1563 \global\refstepcounter{hv@tempCNTfigA}%
1564 \else
1565 \global\refstepcounter{hv@tempCNTtabA}% before caption
1566 \fi
1567 \expandafter\label\expandafter{\hv@label-2}%
1568 \newpage\if@twocolumn\null\newpage\fi
1569 }}%
1570 }
1571 \newif\ifhv@temp
1572 \def\do@hvFloat@doubleFULLPAGE@CaptionAfter{%
1573 \afterpage{%

```

```

1573 \hfuzz=\maxdimen
1574 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1575 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
    }% no interlineskip
1576 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1577 \thispagestyle{empty}%
1578 \clipbox*{0 \the\dp\hvObjectBox} \the\hv@leftPageObjectWidth{ \the\ht\hvObjectBox}{\usebox\
    hvObjectBox}%
1579 \ifx\hv@floatType\hv@figure
1580 \refstepcounter{hv@tempCNTfigA}%
1581 \else
1582 \refstepcounter{hv@tempCNTtabA}% before caption
1583 \fi
1584 \ifx\hv@label\@empty\else\label{\hv@label}\fi
1585 \newpage\if@twocolumn\null\newpage\fi
1586 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1587 \thispagestyle{empty}%
1588 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
    lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox
1589 \hspace*{\hv@tempWidthA}%
1590 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1591 \clipbox*{\the\hv@leftPageObjectWidth{ \dp\hvObjectBox} \wd\hvObjectBox} \ht\hvObjectBox}{\usebox
    \hvObjectBox}%
1592 \ifx\hv@floatType\hv@figure
1593 \refstepcounter{hv@tempCNTfigB}%
1594 \else
1595 \refstepcounter{hv@tempCNTtabB}% before caption
1596 \fi
1597 \expandafter\label\expandafter{\hv@label-2}%
1598 \newpage\if@twocolumn\null\newpage\fi
1599 \begin{\hv@floatType}[!b]
1600 \ifhv@separatorLine\drawSepLine\fi
1601 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1602 \ifhv@onlyText
1603 \hv@longCap
1604 \else
1605 \ifx\hv@shortCap\@empty
1606 \captionof{\hv@floatType}{\hv@longCap}%
1607 \else
1608 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1609 \fi
1610 \fi
1611 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1612 \end{\hv@floatType}%
1613 }%
1614 }
1615
1616 \def\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{%
1617 \hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: start} %
1618 \afterpage{%
1619 \hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: afterpage start} %
1620 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1621 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
    }% no interlineskip
1622 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1623 \thispagestyle{empty}%
1624 \ifx\hv@floatType\hv@figure
1625 \refstepcounter{hv@tempCNTfigA}%
1626 \else
1627 \refstepcounter{hv@tempCNTtabA}% before caption
1628 \fi
1629 \ifx\hv@label\@empty\else\label{\hv@label}\fi
1630 \clipbox*{0 0 \the\hv@leftPageObjectWidth{ \height}{\usebox\hvObjectBox}%
1631 \newpage\if@twocolumn\null\newpage\fi
1632 \hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: insert newpage} %
1633 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1634 \thispagestyle{empty}%

```

```

1635 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
      lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox
1636 \hspace*{\hv@tempWidthA}%
1637 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1638 \clipbox*{\the\hv@leftPageObjectWidth{\dp\hvObjectBox}{\wd\hvObjectBox}{\ht\hvObjectBox}{\usebox
      \hvObjectBox}%
1639 \ifx\hv@floatType\hv@figure
1640 \refstepcounter{hv@tempCNTfigB}%
1641 \else
1642 \refstepcounter{hv@tempCNTtabB}% before caption
1643 \fi
1644 \ifx\hv@label\@empty\else\label{\hv@label-2}\fi
1645 \newpage\if@twocolumn\newpage\fi
1646 \begin{\hv@floatType*}[!b]
1647 \hv@twoColumnCaptiontrue
1648 \ifhv@separatorLine\drawSepLine\fi
1649 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1650 \ifhv@onlyText
1651 \hv@longCap
1652 \else
1653 \ifx\hv@shortCap\@empty
1654 \captionof{\hv@floatType}{\hv@longCap}%
1655 \else
1656 \captionof{\hv@floatType}{\hv@shortCap}{\hv@longCap}%
1657 \fi
1658 \fi
1659 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1660 \end{\hv@floatType*}%
1661 }%
1662 \hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: afterpage done} %
1663 }
1664
1665 \def\do@hvFloat@doubleFULLPAGE@CaptionOther#1{%
1666 \afterpage{%
1667 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
      }% -0.5\paperheight+0.5\ht\hvObjectBox
1668 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1669 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1670 \thispagestyle{empty}%
1671 \hfuzz=\maxdimen
1672 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1673 \clipbox*{0 \depth}{\hv@leftPageObjectWidth{\height}{\usebox\hvObjectBox}%
1674 \ifx\hv@floatType\hv@figure
1675 \refstepcounter{hv@tempCNTfigA}%
1676 \else
1677 \refstepcounter{hv@tempCNTtabA}% before caption
1678 \fi
1679 \label{\hv@label}%
1680 \afterpage{%
1681 \if@twocolumn\newpage\if@firstcolumn\else\newpage\fi\fi
1682 \global\savebox{\hvObjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@floatObject\fi}%
1683 \thispagestyle{empty}%
1684 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
      lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox
1685 \hspace*{\hv@tempWidthA}%
1686 \clipbox*{\hv@leftPageObjectWidth{\dp\hvObjectBox}{\wd\hvObjectBox}{\ht\hvObjectBox}{\usebox\
      hvObjectBox}%
1687 \ifx\hv@floatType\hv@figure
1688 \refstepcounter{hv@tempCNTfigB}%
1689 \else
1690 \refstepcounter{hv@tempCNTtabB}% before caption
1691 \fi
1692 \expandafter\label\expandafter{\hv@label-2}%
1693 \savebox\hvCaptionBox{\parbox{0.9\ht\hvObjectBox}{\captionof*{\hv@floatType}{\hv@longCap}}}%
1694 \ifnum#1 > 0\relax % rotation with 90°
1695 % \setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hv@Set@bindCorrection}%
1696 \ifdim\hv@tempWidthB < 2\paperwidth

```

```

1697 \rotatebox[origin=lb]{90}{\makebox[\paperheight][c]{\parbox{0.8\ht\hvObjectBox}{%
1698 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1699 \ifhv@onlyText
1700 \hv@longCap
1701 \else
1702 \ifx\hv@shortCap\@empty
1703 \captionof{\hv@floatType}{\hv@longCap}%
1704 \else
1705 \captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1706 \fi
1707 \fi
1708 }}}% rotatebox
1709 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1710 \else% ifdim: no space left on page
1711 \put(-2\ht\hvCaptionBox,0.5\ht\hvObjectBox){\makebox(0,0){\rotatebox{90}{\minipage{\textwidth}\
centering
\parbox{0.8\textwidth}{%
\ifhv@onlyText
\hv@longCap
\else
\ifx\hv@shortCap\@empty
\captionof{\hv@floatType}{\hv@longCap}%
\else
\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
\fi
\fi
}%
\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
\endminipage}}}%
\fi
1726 \else% ifnum, caption not rotated, under or over the right page
1727 \setlength\hv@tempWidthA{\dimexpr\paperheight-\ht\hvObjectBox}%
1728 \ifdim\hv@tempWidthA > \ht\hvCaptionBox
1729 \else
1730 \put(\the\dimexpr1.5\paperwidth-\wd\hvObjectBox-\hvSet@bindCorrection,\the\dimexpr\ht\
hvCaptionBox+\abovecaptionskip+\belowcaptionskip){\makebox[0pt][c]{\parbox{\textwidth}{%%
1731 % \expandafter\captionsetup\expandafter{\hv@caption@format}%
1732 \ifhv@onlyText
1733 \hv@longCap
1734 \else
1735 \ifx\hv@shortCap\@empty
1736 \captionof{\hv@floatType}{\hv@longCap}%
1737 \else
1738 \captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1739 \fi
1740 \fi
1741 }}}}%
1742 \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1743 \fi
1744 \fi% end \ifnum#1>0
1745 \newpage\if@twocolumn\null\newpage\fi
1746 }%
1747 }%
1748 }
1749
1750
1751 \def\setBottomCaption{%
1752 \begin{\hv@floatType}[!b]%
1753 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1754 \ifhv@separatorLine\drawSepLine\fi
1755 \par
1756 \usebox\hvCaptionBox
1757 \end{\hv@floatType}%
1758 }
1759
1760 \def\setPageObject{%
1761 \ifhv@star

```

```

1762 \begin{\hv@floatType*}[p]%
1763 \else
1764 \begin{\hv@floatType}[p]%
1765 \fi
1766 \hfuzz=\maxdimen
1767 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1768 \ifhv@FULLPAGE
1769 \vspace*{\the\dimexpr-\lin-\voffset-\topmargin-\headheight-\headsep}%-0.5\baselineskip%
1770 \checkoddpages
1771 \if@twoside
1772 \ifoddpage
1773 \hspace*{\the\dimexpr-\oddsidemargin-\parindent-\lin}%
1774 \else
1775 \hspace*{\the\dimexpr-\evensidemargin-\parindent-\lin}%
1776 \fi
1777 \else
1778 \hspace*{\the\dimexpr-\oddsidemargin-\parindent-\lin}%
1779 \fi
1780 \AtBeginShipoutNext{\thispagestyle{empty}}%
1781 \usebox\hvObjectBox
1782 \else
1783 \usebox\hvObjectBox
1784 \fi
1785 \ifhv@star
1786 \end{\hv@floatType*}%
1787 \else
1788 \end{\hv@floatType}%
1789 \fi
1790 }
1791
1792 \ExplSyntaxOn
1793
1794 \def\getMultiCaptionAndLabel{%
1795 \global\abox\hvCaptionBox{\minipage[b]{\linewidth}%
1796 \captionsetup{aboveskip=\z@,belowskip=\z@,position=below,parbox=none}%,skip=-lex}%
1797 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1798 \parskip=-0.5\baselineskip
1799 \hv@cntb=\clist_count:N\l_clist_Type
1800 \advance\hv@cntb by \@ne
1801 \hv@cna=1
1802 \loop
1803 \edef\@capytype{\clist_item:Nn\l_clist_Type{\hv@cna}}%
1804 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@cna}}%
1805 \ifx\@tempa\@empty
1806 \caption{\clist_item:Nn\l_clist_Caption{\hv@cna}}%
1807 \else
1808 \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@cna}}%
1809 \fi
1810 \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cna}}%
1811 \ifx\@tempa\@empty
1812 \else
1813 \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@cna}-cap}\fi
1814 \advance\hv@cna by \@ne
1815 \ifnum\hv@cna<\hv@cntb
1816 \repeat
1817 \vspace{-\baselineskip}% no vspace at the end
1818 \endminipage}%
1819 }
1820
1821 \def\getMultiObjectAndLabel{%
1822 \global\abox\hvObjectBox{%
1823 \ifhv@vFill
1824 \minipage[b][\textheight][s]{\columnwidth}%
1825 \else
1826 \minipage{\columnwidth}%
1827 \fi
1828 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%

```

```

1829 \ifx\hvSet@objectPos\hv@Right\raggedleft\else
1830 \ifx\hvSet@objectPos\hv@Left\raggedleft\else
1831 \ifx\hvSet@objectPos\hv@Center\centering
1832 \fi\fi\fi
1833 \hv@cntb=\clist_count:N\l_clist_Type
1834 \advance\hv@cntb by \@ne
1835 \hv@cna=1
1836 \loop
1837 \def\@temp{\clist_item:Nn\l_clist_Object{\hv@cna}}%
1838 \ifhv@objectFrame\frame{\@temp}\else\@temp\fi
1839 \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cna}}%
1840 \edef\@tempb{\clist_item:Nn\l_clist_Type{\hv@cna}}%
1841 \edef\@captype{\hv@p\@tempb}%
1842 \ifx\@tempa\@empty
1843 \else
1844 \refstepcounter{\@captype}%
1845 \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@cna}}%
1846 \fi
1847 \ifnum\hv@cna<\clist_count:N\l_clist_Type\par\hv@vskip\fi
1848 \advance\hv@cna by \@ne
1849 \ifnum\hv@cna<\hv@cntb
1850 \ifhv@vFill\vfill\fi
1851 \repeat
1852 \endminipage}%
1853 }
1854 \def\getMultiSubCaptionAndLabel{%
1855 \global\sbbox\hvCaptionBox{%
1856 \minipage{\linewidth}%
1857 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1858 \setlength\belowcaptionskip{5pt}%
1859 \setlength\abovecaptionskip{0pt}%
1860 \xdef\@captype{\clist_item:Nn\l_clist_Type{1}}% the same for all subfloats
1861 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{1}}%
1862 \ifx\@tempa\@empty
1863 \caption{\clist_item:Nn\l_clist_Caption{1}}%
1864 \else
1865 \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{1}}%
1866 \fi
1867 \edef\@tempa{\clist_item:Nn\l_clist_Label{1}}%
1868 \ifx\@tempa\@empty\else\expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{1}-cap}\fi
1869 \endminipage}%
1870 }
1871
1872 \def\getMultiSubObjectAndLabel{%
1873 \global\sbbox\hvObjectBox{%
1874 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1875 \ifhv@vFill
1876 \minipage[b][\textheight][s]{\columnwidth}%
1877 \captionsetup{belowskip=0pt}%
1878 \else
1879 \minipage{\columnwidth}%
1880 \fi
1881 % \ifx\hv@subcaption@format\@empty\else
1882 % \expandafter
1883 % \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
1884 % {\hv@subcaption@format}%
1885 % \fi
1886 \ifx\hvSet@objectPos\hv@Right\raggedleft\else
1887 \ifx\hvSet@objectPos\hv@Left\raggedleft\else
1888 \ifx\hvSet@objectPos\hv@Center\centering
1889 \fi\fi\fi
1890 \hv@cntb=\clist_count:N\l_clist_Caption
1891 \advance\hv@cntb by \@ne
1892 \hv@cna=2
1893 \edef\@captype{\clist_item:Nn\l_clist_Type{1}}% the same for all subfloats
1894 \ifx\@tempa\@empty
1895 \else

```

```

1896 % \refstepcounter{\@capytype}%
1897 % \expandafter\label\expandafter{\@tempa}%
1898 \fi
1899 \loop
1900 \def\@temp{\clist_item:Nn\l_clist_Object{\hv@canta}}%
1901 \ifhv@objectFrame\frame{\@temp}\else\@temp\fi
1902 \begingroup
1903 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@canta}}%
1904 \ifx\@tempa\empty
1905 \subcaption{\clist_item:Nn\l_clist_Caption{\hv@canta}}%
1906 \else
1907 \expandafter\subcaption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@canta}}%
1908 \fi
1909 \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@canta}}%
1910 \ifx\@tempa\empty
1911 \else
1912 \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@canta}}%
1913 \fi
1914 \endgroup
1915 \ifnum\hv@canta<\clist_count:N\l_clist_Type\par\hv@vskip\fi
1916 \advance\hv@canta by \@ne
1917 \ifnum\hv@canta<\hv@cntb
1918 \ifhv@vFill\vfill\fi
1919 \repeat
1920 \edef\@tempa{\clist_item:Nn\l_clist_Label{1}}% the main label at the end
1921 \ifx\@tempa\empty
1922 \else
1923 \edef\@temp{\hv@p\@capytype}%
1924 \refstepcounter{\@temp}%
1925 \expandafter\label\expandafter{\@tempa}%
1926 \fi
1927 \endminipage}%
1928 }
1929 \ExplSyntaxOff
1930
1931 \def\getSingleCaptionAndLabel{%
1932 \global\sbox\hvCaptionBox{\minipage{\linewidth}}%
1933 \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1934 \setlength\belowcaptionskip{5pt}%
1935 \setlength\abovecaptionskip{0pt}%
1936 \ifhv@onlyText
1937 \hv@longCap
1938 \else
1939 \edef\@capytype{\hv@floatType}%
1940 \expandafter\ifx\expandafter\relax\hv@shortCap\relax
1941 \caption{\hv@longCap}%
1942 \else
1943 \caption[\hv@shortCap]{\hv@longCap}%
1944 \fi
1945 \fi
1946 \ifx\hv@label\empty\else\label{\hv@label-cap}\fi
1947 \endminipage}%
1948 }
1949
1950 \def\set@caption@object#1{% first caption, then object #1=\hv@floatType
1951 \ifhv@multiFloat
1952 \setcounter{\hv@pfigure}{\value{figure}}%
1953 \setcounter{\hv@ptable}{\value{table}}%
1954 \getMultiCaptionAndLabel
1955 \else
1956 \ifhv@subFloat
1957 \setcounter{\hv@pfigure}{\value{figure}}%
1958 \setcounter{\hv@ptable}{\value{table}}%
1959 \getMultiSubCaptionAndLabel
1960 \else
1961 \getSingleCaptionAndLabel
1962 \fi

```

```

1963 \fi
1964 \edef\@capttype{hv@p#1}%
1965 \ifhv@multiFloat
1966   \getMultiObjectAndLabel
1967 \else
1968   \ifhv@subFloat
1969     \getMultiSubObjectAndLabel
1970   \else
1971     \global\sbox\hv0objectBox{%
1972       \refstepcounter{\@capttype}%
1973       \ifhv@objectFrame\frame{\hv@float0object}\else\hv@float0object\fi
1974       \expandafter\ifx\expandafter\relax\hv@label\relax
1975         \else
1976           \expandafter\label\expandafter{\hv@label}%
1977       \fi
1978     }%
1979   \fi
1980 \fi
1981 }
1982 %
1983 \endinput

```